

# SCULE ABRASIVE

## GRINDING TOOLS AND ABRASIVES



2014

2013

2012





## 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS

Scule de polizare cele mai raspandite, pentru polizoare de banc, masini de rectificat plane, cilindrice si de interior. Sensibile la spargere si lovire, dar rezistente la actiuni chimice. Utilizabile la polizarea dura si fina la oteluri carbon slab- si inalt aliate, oteluri calite si necalite, fonta, metale dure si metale moi, sticla, materiale ceramice, piatra naturala si plastic.


*They are the most frequently used grinding tools. They are used on table and floor stand grinder, on internal and external cylindrical grinding machines and on surface grinder. These abrasive tools are sensitive to shock, but resistant to chemical influences. They are used for rough and fine grinding of hardened and unhardened, high alloyed and structural steels, cast irons, hard and soft metals, glass, ceramics, natural stones and plastics.*

### 1.1 PIATRA POLIZOR PLANA (<200mm) - STRAIGHT VITRIFIED BONDED GRINDING WHEELS (UNTL. 200 MM)

Utilizabil la polizoare de banc, masini de rectificat plane, masini de rectificat cilindrice, ascutire scule de aschiere si debavurare.


*Their most frequently using fields are surface grinding, cylindrical grinding, tool sharpening, internal grinding and de-burring.*

Iba


Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
25x20x8	40A60L5V31	12017060	20
32x60x6	22A60M5V31	32010074	20
35x40x13	21A60M5V38	32010420	20
50x15x6	40A60J8V31	32010121	20
60x10x10	21A60M5V38	32010350	20
60x10x10	21A70M5V38	32010362	20
60x10x10	40A120M4V31	12010440	20
63x10x10	21A70M8V38	32010352	20
65x12x8	21A100M8V38	32010196	20
100x10x20	22A220M5V31	1201K190	20
100x10x20	21A220M5V38	32010181	20
100x20x20	90C60M8V36	32010079	20
100x20x20	21A46M8V38	12018180	20
100x20x20	21A60M6V38	12019470	20
125x13x20	21A60J6V38	12010550	10
125x16x13	90C60M8V36	1201J980	10
125x16x13	21A60M8V38	1201J990	10
125x20x20	90C46M8V36	32010080	10
125x20x20	90C60M8V36	32010081	10
125x20x20	22A46M8V36	32010082	10
125x20x20	21A60M8V38	32010083	10
150x10x20	21A60K6V38	1201E160	10
150x16x13	90C60M5V36	1201K060	10
150x16x13	21A60M5V38	1201K070	10
150x20x20	90C46M8V36	1201F510	10
150x20x20	90C60M5V36	32010010	10
150x20x20	10C46J5V36	1201D790	10
150x20x20	21A46M8V38	32010088	10
150x20x20	22A60M8V31	32010089	10
150x20x20	21A60M8V38	1201I640	10
150x20x20	21A80M8V38	32010216	10
150x20x20	40A60K6V31	12014770	10
150x20x32	90C46M5V36	32010090	10
150x20x32	90C60M8V36	1201J640	10



**PIETRE DE POLIZOR CU LIANT CERAMIC  
VITRIFIED BONDED GRINDING TOOLS**

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
150x20x32	10C60M8V36	32010091	10
150x20x32	22A60M8V31	32010093	10
150x20x32	21A60M8V38	1201J650	10
150x20x32	21A80M8V38	32010226	10
150x32x20	21A60M8V38	32010366	10
175x10x32	21A90M5V38	32010188	10
175x20x20	10A54M8V36	32010215	10
175x20x20	90C46M8V36	32010100	10
175x20x20	90C60M8V36	1201E490	10
175x20x20	10C46J5V36	1201D820	10
175x20x20	10C60M8V36	1201K090	10
175x20x20	21A30Q3V38	32010151	10
175x20x20	21A46M8V38	1201E500	10
175x20x20	22A60K6V31	12010320	10
175x20x20	21A60M8V38	1201E510	10
175x20x20	22A80M6V31	32010385	10
175x20x20	40A80K6V31	1201F660	10
175x20x32	90C60M8V36	32010020	10
175x20x32	21A46M8V38	32010102	10
175x20x32	22A60M8V31	1201J560	10
175x20x32	21A60M8V38	32010030	10
175x20x32	21A80K8V38	1201J950	10
175x25x32	90C60M8V36	32010103	10
175x25x32	21A46M8V38	32010108	10
175x25x32	21A60M8V38	32010105	10
195x14x20	22A46M8V31	32010186	10
200x20x20	90C60M5V36	1201J440	5
200x20x20	10C150M5V36	32010392	5
200x20x20	10C60M8V36	12014820	5
200x20x20	21A46M8V38	32010106	5
200x20x20	22A60K6V31	1201E170	5
200x20x20	21A60M8V38	12010400	5
200x20x32	90C60M5V36	1201J660	5
200x20x32	10C60J5V36	32010361	5
200x20x32	21A46M8V38	32010107	5
200x20x32	21A60M8V38	1201J670	5
200x32x32	90C60M5V36	32010371	5
200x32x32	22A60M5V31	32010335	5
200x32x32	21A60M5V38	32010370	5
200x40x32	22A150M5V31	32010185	5


**Grănit**

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
80x10x10	1A50M5V31	32010132	10
80x70x20	1C60K5V36	12016970	10
100x16x20	6A60M8V38	12019070	10
100x25x20	6A240P5V31	12011010	10
125x16x13	6A60M8V38	32010144	10
125x20x20	1A60V31	32010131	10
125x6x20	6A60M8V38	12011900	10
125x8x20	1C60L5V36	12013780	10



Produs standard  
Standard product

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Cantitate impachetare  
Packing unit




# 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS


[www.abrazive-scule.ro](http://www.abrazive-scule.ro)

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
150x20x20	1C60K5V36	1201A860	10
150x20x20	6A60M8V38	12017650	10
150x20x32b	6A46M8V38	1201A910	10
150x25x32	6A60J8V31	12014220	10
150x32x32	6A80J8V31	12016810	10
150x4x32	9A120K8V31	32010378	10
175x10x32	2C90J8V36	12016820	10
175x10x32	6A220L8V31	32010383	10
175x16x32	6A220L8V31	32010384	10
175x16x32	6A60L8V31	32010379	10
175x20x20	1A30K7V	12012250	10
175x20x20	1C60K5V36	1201A940	10
175x20x20	1C60M5V36	12017070	10
175x20x20	6A60K8V38	12010210	10
175x20x20	6A60M8V38	12016150	10
175x20x32b	1C60K5V36	12013370	10
175x20x32b	1C60M5V36	1201A810	10
175x20x32b	6A60M8V38	1201A820	10
175x25x32b	6A60M8V38	1201D580	10
175x32x20	1C46MV36	12012270	10
175x32x20	1C60M5V36	12010260	10
175x5x32	6A60M8V31	32010380	20
175x6x32	6A220L8V31	32010382	20
200x10x32	1C80K8V36	12018140	5
200x12x32	6A60J6V31	32010123	5
200x20x51	6A60M8V38	12017440	5
200x25x32	1C46M5V36	32010404	5
200x25x32	1C60M5V36	32010146	5
200x32x32	2C60M5V36	32010351	5



## Tyrolit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
15x15x6	C80J5V15	1201D900	10
15x15x6	88A80L6V111	1201D910	10
20x13x6	88A80L5V111	1201D890	10
20x20x6	88A80L6V111	1201D870	10
20x20x6	C60J5V15	1201D880	10
25x25x9	89A80J5V111	1201D920	10
32x25x10	89A80J5V111	1201D860	10
40x25x16	89A80J5V111	1201D840	10
125x20x32	10A36P5AV217	12019900	5
150x10x32	89A60M5V217	32010177	5
150x32x51	89A80V217	12012210	5
175x10x20	89A60K5AV217	32010204	5
175x25x32	C80VTR	32010337	5
175x6x32	89A60M5V217	1201E820	5
175x8x32	89A60M5AV217	12019830	5
180x32x51	90A46I5V217	12012290	5
190x12x28	89A60L5V217	12012110	5
190x35x28	89A80M5V217	12010840	5
190x5x28	89A80M5V217	12017950	5




Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit


Produs standard  
Standard product

## 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
190x8x28	89A60L5V217	12012100	5
200x25x32	C80I5V15	32010150	5
200x32x32	89A60K5V217	32010389	5
200x6x32	89A60M5V217	32010191	5
200x8x32	89A80L5V217	1201A010	5
200x8x32	89A80L5V237	12017260	5

### 1.2.PIETRE DE POLIZOR CU LIANT CERAMIC (>200 mm)- STRAIGHT VITRIFIED BONDED GRINDING WHEELS (FROM 200 MM)

Iba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
250x20x60	90C60P5V36	1201J540	10
250x25x32	21A60M8V38	32020038	10
250x25x76	21A46J8V38	1201J710	10
250x32x76	21A60K6V38	1201G210	5
250x32x76	22A60J6V31	1201K200	5
250x32x76	21A46K8V38	1201G200	5
300x32x127	21A60M8V38	12015450	3
300x32x127	90C60M5V36	12012880	3
300x32x127	21A46M8V38	12015490	3
300x32x32	21A60M8V38	12015430	3
300x32x32	90C60M5V36	12012820	3
300x32x32	21A46M8V38	12015440	3
300x32x32	22A60M8V31	1201B350	3
300x32x51	90C60M5V36	1201H510	3
300x32x60,2	90C60P8V36	32020121	3
300x32x60,2	90C90P8V36	32020088	3
300x40x127	21A60M8V38	12019620	2
300x40x127	90C60M5V36	1201A240	2
300x40x127	21A46M5V38	1201A620	2
300x40x40	21A60M8V38	12015510	2
300x40x40	90C60M5V36	12012910	2
300x40x40	21A46M8V38	12015520	2
300x40x76	21A60M6V38	1201J740	2
350x10x127	22A80K8V31	32020288	2
350x32x127	21A60M8V38	12015610	3
350x32x32	21A60M8V38	1201J760	3
350x40x127	21A60M8V38	12013140	2
350x40x127	90C60M5V36	12013160	2
350x40x127	21A46M8V38	12015670	2
350x40x127	90C46M5V36	12013170	2
350x40x127	10C60M5V36	1201E790	2
350x40x127	40A60M8V31	32020261	2




# 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS

[www.abrazive-scule.ro](http://www.abrazive-scule.ro)

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
350x40x127	40A60K8V31	1201D760	2
350x40x40	21A60M8V38	12015650	2
350x40x40	90C60M5V36	12013080	2
350x40x40	21A46M8V38	12016070	2
350x40x40	90C46M5V36	12013120	2
350x40x40	90C60M5V36	12013080	2
350x40x51	21A60M8V38	1201J780	2
350x50x127	21A60M5V38	12019640	2
350x50x127	21A46M5V38	1201A640	2
350x50x127	90C60M5V36	12019630	2
350x50x127	22A36K5V31	1210J010	2
350x50x127	90C46M5V36	1201A630	2
350x63x127	21A60M8V38	1201F790	1
350x63x127	22A36K5V31	1201J210	1
350x63x127	21A60K8V38	32020224	1
350x63x127	22A60M8V31	1201F300	1
350x63x127	21A46M8V38	32020055	1
400x40x127	21A60M8V38	12018790	1
400x40x127	40A60M5V31	1201I600	1
400x50x127	21A46K8V38	32020110	1
400x50x51	21A60M8V38	1201J810	1
400x63x127	21A60M8V38	1201J820	1
450x63x203	22A36K5V31	1217J060	1
450x80x203	22A36K5V31	1201J200	1
500x50x203	21A60M8V38	32020112	1
500x80x203	21A60K6V38	1201E640	1



## Grănit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
250x150x100	6A100MV38	12016790	1
250x20x32b	6A60M8V38	1201C420	5
250x20x32b	1C60M5V36	1201J180	5
250x20x76	1C60K5V36	1201B560	5
250x25x25	6A46M8V31	12018300	4
250x25x32	1C60K5V36	1201E760	4
250x25x32	6A60M8V38	12013930	4
250x25x76	6A46K8V38	12015380	4
250x25x76	6A60M8V38	12017220	4
250x32x76	6A60M8V38	12011540	3
250x32x76	1C60K5V36	12018690	3
300x25x127	6A60L8V31	32020308	4
300x32x127	6A60M8V38	12013300	3
300x32x127	1C60M5V36	12013320	3
300x32x127	1C60K5V36	12013040	3
300x32x127	1C46M5V36	12011200	3




Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.




Cantitate impachetare  
Packing unit

Produs standard  
Standard product

## 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
300x32x32	6A60M8V38	12011140	3
300x32x32	1C60M5V36	12013020	3
300x32x32	6A46M8V38	12013310	3
300x40x100	6A60M8V31	12013410	2
300x40x127	1C46M5V36	12014400	2
300x40x40	6A60M8V38	12011210	2
300x40x76	1C54M8V36	32020077	2
350x100x203	1C46K5V36	12015040	2
350x40x127	6A60M8V38	12011850	1
350x40x127	6A60K8V38	12016550	1
350x40x127	1C60M5V36	12011870	1
350x40x127	2C60K5V36	12019450	1
350x40x127	1C60K5V36	12013130	1
350x40x127	7A60M8V31	32020276	1
350x40x127	6A46K8V38	12013240	1
350x40x40	6A60M8V38	12013110	1
350x40x40	6A46M8V38	12013230	1
350x40x40	1C60M5V36	12013050	1
350x63x127	1C46K5V36	1201H890	1
350x80x127	6A60L8V31	12011930	1
350x80x76	6A46L8V38	12011920	1
400x20x203	9A80J8V31	32020306	1
400x50x127	6A60K8V31	32020341	1
400x50x51	16A46M8V31	32020105	1
400x50x51	6A46M8V38	12013390	1
400x80x127	6A60R4V38	1201H380	1
400x80x203	6A46N5V38	1201H540	1
450x50x76	1A24M5V	12010800	1
450x63x127	1C60M5V36	1201F830	1
450x63x127	6A60M8V38	12019550	1
450x63x203	6A46K8V38	32020322	1
450x80x203	6A46K8V38	32020337	1
500x150x305	6A60M8V31	1201C380	1
500x25x203	6A54M7V31	32020086	1
500x25x203	6A54M7V38	32020084	1
500x40x203	6A54M7V38	32020080	1
500x40x203	6A54M7V31	32020081	1
500x50x203	2C46J8V36	32020310	1
500x50x203	1C60J5V36	32020159	1
500x50x51	1C60M5V36	32020140	1



# 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS


www.abrazive-scule.ro

## 1.3. PIETRE DE ASCUTIT - SAW SHARPENING WHEELS

Utilizabil la ascutirea panzelor circulare, panzelor de ferastrau inalt aliate, HSS, si cu placute de carburi. Pietre ceramice profilate cu unghi de 60° sau 45°


*Profiled vitrified bonded grinding wheels for sharpening of circular, blade and band saws made of high alloyed steel and cemented carbide. The wheels are profiled to 45° or 60°.*

Iba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
125x10x20	22A90P8V31	32030002	10
125x10x20	21A90P8V38	32030008	10
125x6x13	22A60P5V31	12022380	10
125x6x13	21A60P5V38	32030035	10
150x10x20	90C100P9V36	32030069	10
150x10x20	90C90P8V36	32030010	10
150x10x20	21A100P8V38	32030055	10
150x10x20	21A60P8V38	12021080	10
150x10x20	22A90P8V31	12022330	10
150x10x32	90C90P8V36	32030013	10
150x10x32	21A90P8V38	32030012	10
150x6x32	21A90P5V38	32030037	10
175x10x20	90C100P5V36	32030014	10
175x10x20	21A100P8V38	32030054	10
175x10x20	21A60P5V38	12021090	10
175x10x20	22A90P8V31	12022340	10
175x10x20	21A90P8V38	32030001	10
175x10x32	22A90P8V31	32030017	10
175x10x32	21A90P8V38	32030018	10
175x12x32	21A60M8V38	12021340	10
200x10x20	90C90P8V36	32030019	10
200x10x20	22A90P5V31	12021920	10
200x10x20	21A90P5V38	12021290	10
200x10x32	90C90P8V36	32030020	10
200x10x32	21A90P8V38	12021300	10
200x12x32	21A90P8V38	12022370	10
250x10x20	21A90P8V38	32030022	10
250x10x32	21A60PV38	12021100	10
300x10x32	90C90P8V36	32030024	10
300x10x32	21A90PV38	32030039	10
300x20x32	40A60N5V31	32030038	10
350x25x32	40A60N5V31	32030053	10



Grănit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
125x10x20	6A90P5V38	12020470	20
150x10x32b	6A90P5V38	12021350	20
175x10x20	6A90P5V38	12020810	20
175x10x32	2C90J8V36	12022200	20
175x10x32b	6A60M8V38	12021380	20
175x10x32b	6A90P5V38	12021370	20
200x10x20	6A90P5V38	12021390	10
200x10x32b	6A60M8V38	12021400	10
200x10x32b	6A90P5V38	12022220	10



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.




Cantitate impachetare  
Packing unit

Produs standard  
Standard product

## 1. PIETRE DE POLIZOR CU LIANT CERAMIC VITRIFIED BONDED GRINDING TOOLS




Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
200x13x32	6A90P5V38	32030068	10
200x20x32	6A7A60M	32030065	10
250x10x32b	6A90P5V38	12021420	10
300x10x32b	6A60N5V38	12020150	10
300x13x32	6A90P5V38	12020660	10


### 1.4. PIATRA ASCUTIT CONICA (Forma 3) - ONE SIDE TAPERED WHEELS

Utilizat la ascutirea sculelor aschiatoare, rectificarea rotilor dintate.

Used for tool sharpening and gear grinding.




#### Iba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
150x8x20	90C60K5V36	32040008	10
150x8x20	21A60K5V38	32040003	10
150x8x20	22A60K8V31	32040004	10
175x10x20	21A60K6V38	32040001	10
175x10x20	60A80M6V31	32040002	10



#### Granit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
125x13x32	6A60K8V38	12030030	10
200x12x32	1C60K11V36	12030080	10
200x13x32	6A46J8V31	12030090	10


### 1.5. PIATRA ASCUTIT TIP TALER (Forma 12) - DISH WHEELS

Utilizat la ascutirea sculelor aschiatoare, frezelor din industria lemnului, ferastraielor, rectificarea rotilor dintate.

Used for sharpening of turning tools, wood working milling cutter, saws, and for gear grinding.



#### Iba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
150x15x20	22A60K6V31	32050004	5
150x15x20	21A80K6V38	32050003	5
175x18x20	90C60K8V36	12040950	5
175x18x20	10C60K8V36	32050013	5
175x18x20	21A60K6V38	32050005	5
175x18x20	22A60K8V31	32050014	5
175x18x20	21A60M5V38	12040960	5
175x18x20	21A80K6V38	32050006	5
200x19x20	21A60K6V38	32050021	5
200x19x32	22A60K6V31	32050023	5



#### Granit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
100x10x20	1C80K5V36	12040920	5
175x18x20	1C60K8V36	32050043	5
175x18x32	6A80M8V31	12040820	5
200x19x32	1C60K5V36	12040100	5

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit




## 1.6. PIATRA POLIZOR TIP OALA - STRAIGHT CUP WHEELS

Utilizat la polizarea suprafetelor plane (pe masini cu ax vertical), polizarea si ascutirea sculelor.


Used for grinding of flat surfaces (vertical spindle machines) for tool grinding and sharpening.

### lba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
60x40x20	60A36K10V31	32060028	10
100x40x20	21A60K8V38	32060016	10
100x50x20	22A60K5V31	32060009	10
100x50x20	21A80L8V38	12051530	10
100x50x32	21A60M5V38	32060022	10
125x63x20	90C60K5V36	32060010	10
125x63x20	21A46J6V38	32060003	10
125x63x20	22A60M8V31	12050220	10
125x63x20	21A60M8V38	32060025	10
150x80x32	22A46J8V31	12050680	10
150x80x32	21A46K8V38	32060013	10
150x80x76	22A46J8V31	32060021	10




### Grănit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
75x40x20	6A46J8V38	12050610	1
100x50x20	1C60K5V36	12050490	1
100x50x20	2C80J8V36	12050560	1
150x80x20	1C54J8V36	12050470	1
150x80x32	6A60J8V31	12050150	1




## 1.7. PIATRA POLIZOR TIP OALA CONICA - TAPERED CUP WHEELS

### lba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
80x32x20	21A60M5V38	32070016	10
100x40x20	90C60M5V36	32070009	10
100x40x20	22A60K5V31	32070010	10
150x50x20	22A46J9V31	32070018	10
150x50x32	90C60M8V36	32070013	10



### Grănit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
50x26x13	1A80K5V	12320680	1
80x32x20	1C80K5V36	12320690	1
85x35x32	1C54M5V36	12320210	1
150x40x36	6A54M5V38	12320200	1
150x50x20/11Z	2C80J11V	12320010	1




**1.8 PIATRA POLIZOR CU DEGAJARE (Forma 5) - ONE SIDE RECESSED**

Sunt prevazute cu degajare pe o parte. Utilizat la rectificarea interioara, recticarea plana si cilindrica (cu ax orizontal). Diametrul si adancimea degajarii difera de standardele referitoare la acestea.

*They are recessed on one side. They are used for internal-, cylindrical- and horizontal spindled surface grinding. The diameter and depth of recess are different, depending on product norm.*




Iba

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
25x32x8/1x13x20	21A80P8V38	32080017	1
40x40x13/22x15	21A80K8V38	32080022	1
50x30x13/20x10	16A60M5V	32080066	1
80x50x32/50x20	22A46J8V31	32080003	1
80x50x32/50x20	21A60M8V38	32080004	1
80x50x32/60x30	21A60MV38	32080081	1
100x50x32/60x30	21A60MV38	32080006	1
125x40x20/60	10C80K5V36	32080018	1
150x32x32/1x65x15	22A60L8V31	12341490	1
400x50x127/210x8	22A60K8V	32080062	1



Tyrolit

Dimensiune Size	Specificatie Specification	Nr. art. Art.-Nr.	
20x20x6	88A80L5V111	12341400	1
20x20x6/13x7	2C60J5V15	12341410	1
25x25x8	89A80J5V111	12341360	1
32x32x13/20x20	89A80K5V	32080040	1
50x63x20/38x50	89A46J5V	32080046	1
150x40x32/80x20	89A46JV31	12340170	1
175x170x65/90	2C220JV36	12340650	1
350x100x127/250x60	C180J5V18	12340400	1

**1.9. PIETRE DE POLIZOR INELARE (Forma 2) - RING WHEELS**


Utilizat la rectificari plane pe masini de rectificat cu ax vertical. Specific, diametrul axului este mai mare decat jumatate din diametrul exterior al corpului abraziv. Se livreaza numai la comanda.

*They are used for surface grinding on vertical spindle grinding machines. They are produced in straight shape and with mounting rim. The bore diameter of ring wheels is characteristically bigger than the half of their outside diameter. They are only available to order!*




Utilizat la polizare de interior, margini, suprafete profilate. Gama tipo-dimensionala larga, ne da posibilitatea utilizarii in aplicatii vaste. In general se executa cu liant ceramic, dar la cerere se pot executa si cu liant bachelitic sau elastic.


They are used for internal grinding, tool grinding, for grinding of edges and different profiles. The great choice of sizes and forms makes possible a wide field for application. They are generally produced in vitrified, but they are available in resin bonded as well.

Măret Size	lba					
	90C	10A	21A	22A	40A	
4x10x3			32100144			10
6x10x3			32100077			10
8x10x3	32100018		32100145			10
8x16x3			32100236			10
10x20x6	32100025		12372970			10
10x25x6	12373520			32100108	32100157	10
13x20x6	12372980		32100137		32100099	10
16x16x6				32100034		10
16x20x6			12375730		32100038	10
20x20x6	32100045		12373000	32100046	12374320	10
20x25x6	12373010	32100085	32100150	12372860	12375790	10
20x40x6	12374850	32100087	32100049	32100139	32100011	10
25x25x6	12373530	32100171	12372560	32100050	32100051	10
25x32x6	32100170		32100237		32100012	10
32x20x6	32100055		32100056			10
32x32x6	32100058	32100128	12373050	32100059		10
40x40x6	12373570		12373060	32100140	12370950	5
50x50x9	12373590	32100132	32100073	32100072	12371000	5




Măret Size	lba				
	90C	21A	22A	40A	
13x20x6	32110001	32110003			10
16x20x6		32110016			10
20x25x6	32110005	32110006			10
25x32x6		32110009		32110010	10




Măret Size	lba				
	90C	21A	22A	40A	
10x20x3		32120001		32120002	10
10x20x6	32120003			32120007	10
20x40x6	32120009			32120019	10



Măret Size	lba				
	90C	21A	22A	40A	
32x25x6			32140008		10
40x32x6	32140011	32140013			10



Măret Size	lba				
	90C	21A	22A	40A	
13x3				32150009	10
16x6	32150011	32150012			10
20x6	32150014			32150001	10
25x6	32150024	32150017		32150018	10
32x6	32150025			32150002	10



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit

Produs standard  
Standard product


### 3. PILE DE SLEFUIRE MANUALA STICKS AND STONES

www.abrazive-scule.ro

#### 3.1. PILE PATRATE - SQUARE STICKS


Utilizat la productia de scule si asutiri manuale. Profilele dreptunghiulare si patrate se utilizeaza si la masini de honuit.

*They are hand operated abrasive tools, used by tool production and sharpening. The rectangular and square sticks are used for honing too.*

Dimensiune Size	Granulatie Grit	lba					
		90C	10C	21A	22A	40A	
100x10	120		33010006				1
	150		12470610			12470500	1
	240		12470600			12470510	1
	400		12470590			12470520	1
100x25	60				12471270	33010012	1
	180				12471260	33010011	1




#### 3.2. PILE DREPTUNGHILARE (HOMOGEN) - RECTANGULAR STICKS (HOMOGENE)

Dimensiune Size	Granulatie Grit	lba						
		10A	90C	10C	21A	22A		40A
100x10x5	150				33020055		12480760	1
150x50x25	220			12481930				1
200x13x6	150					12182660		1
200x35x22	120	33020045						1
200x50x25	240			12480850	12480820	12481940	12480810	1




#### 3.3. PILE DREPTUNGHILARE (doua straturi) - RECTANGULAR STICKS (TWO SLIDES)

Granulatie Grit / grit	lba			Dimensiune Size	
	22A 320	90C 80	90C 120		
10C 320		12481440	12480830	200x50x25	1
21A 150	12481470			200x50x25	1
40A 150	12481080			200x50x25	1



#### 3.3. PILE DREPTUNGHILARE - RECTANGULAR STICKS

Dimensiune Size	lba					
	90C 16	90C 24	90C 36	90C 60	90C 120	
200x120x35	12480440	12481960	12481970		33020002	1




Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.




Cantitate impachetare  
Packing unit

Produs standard  
Standard product

## 3.5. PILE ROTUNDE - ROUND STICKS




		Iba						
Dimensiune Size	Granulatie Grit	10A	90C	10C	21A	22A	40A	
100x10	150						12500350	1
	240			12500390			12500360	1
	400			12500400	12500340			1
200x20	150			12500410			12500370	1
	240			12500420			12500380	1


## 3.6. PILE TRIUNGHILARE - TRIANGULAR STICKS



		Iba						
Dimensiune Size	Granulatie Grit	10A	90C	10C	21A	22A	40A	
100x10	150			12490350			12490300	1
	240						12490310	1
	400						12490320	1
200x20	240			12490370			12490340	1
	400			12490380				1

## 3.7. PILE SEMIROTUNDE - HALF ROUND STICKS



		Iba					40A	
Dimensiune Size	Granulatie Grit	10A	90C	10C	21A	22A		
100x10x5	150						12510260	1
	240			12510320	12510250		12510270	1
	400							
200x20x10	150			12510340			12510290	1
	240			12510350			12510300	1



## 4.1. PIETRE DE POLIZOR - GRINDING WHEELS

De obicei se utilizeaza la polizari puternice (gros), pe masini de mana sau polizoare. Rezistent la sarcina dinamica, mai putin sensibil la lovituri. Se pot produce cu sau fara insertie de fibra de sticla.

*They are generally used for greater stock removal on hand operated and grinding machines. They are stable against dynamical loads, less resistant to shocks. They are produced with or without fabric reinforcement.*



Iba					
Dimensiune Size	Specificatie Type	RPM	Nr. art. Art.-Nr.		
125x6x20	22A60S4Ba	50m/s	12061460	1	
150x20x20	10A24R4Ba	50m/s	12060330	1	
150x2x32	22A60N4Ba	50m/s	34010009	1	
150x3,5x32	22A60N4Ba	50m/s	34010012	1	
150x5x32	22A60S4Ba	50m/s	12061120	1	
150x6x32	22A60S4Ba	50m/s	12061480	1	

## 4.2. DISCURI DE DEBITAT CALIBRATE - CUT-OFF WHEELS (WITHOUT REINFORCEMENT)

Discuri de debitat fara insertie, se utilizeaza pe masini de mare precizie

*They are used for plunge cut grinding on very precise tools.*



TYROLIT				
Dimensiune Size	Specificatie Type	Nr. art. Art.-Nr.		
100x2x20	1A60P	34020004	10	
125x1,5x20	1A60P	34020005	10	
125x1x20	1A80O	12060380	10	
150x1x20	1A80N	12060890	10	
150x2x20	1A46O	34020015	10	
150x3,5x20	1A70R	34020017	25	
150x3x32	1A70R	34020020	25	
150x4x20	1A70R	34020018	25	
200x1,5x20	1A60P	34020002	10	
200x1x20	1A60P	34020011	10	
200x2x20	1A60P	34020012	10	

## Iba - Cu filet - With thread

Dimensiune Size	Granulatie Grit	Nr. art. - Art.-Nr.		
		10A R7	90C Q4	
110/90x55xM14	16	12061760	12061670	10
110/90x55xM14	24	12061800	12061680	10
110/90x55xM14	36	12061810	12061690	10
110/90x55xM14	60	12061820	12061700	10




## 5. DISCURI DE DEBITAT CUT-OFF DISCS

### 5.1. DISCURI DE DEBITAT PENTRU POLIZOARE UNGHIULARE - CUT-OFF WHEELS FOR ANGLE GRINDERS

Se utilizeaza pentru debitare metalelor feroase, neferoase, piatra cu ajutorul polizoarelor unghiulare. Este cel mai raspandit scula abraziva.

*They are used for cutting on angle grinders of ferrous and nonferrous metals and stones. They are known as one of the most frequently used grinding tools.*



#### Gránit - Graniflex Plussz



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	1A60S-BF	12082280	25
115x1,6	41	1A46S-BF	12081650	25
115x2,5	41	1A36S-BF	12080410	25
115x3,2	41	1A36S-BF	12080420	25
125x1	41	1A60S-BF	12082470	25
125x1,6	41	1A46S-BF	12081030	25
125x2	41	1A36S-BF	12081820	25
125x2,5	41	1A36S-BF	12080610	25
125x3,2	41	1A36S-BF	12080430	25
150x2	41	1A36S-BF	12083100	25
150x2,5	41	1A36S-BF	35010060	25
150x3,2	41	1A36S-BF	12080090	25
180x2	41	1A36S-BF	35010129	25
180x2,5	41	1A36S-BF	12080440	25
180x3,2	41	1A36S-BF	12080450	25
230x2,5	41	1A36S-BF	12082240	25
230x3,2	41	1A36S-BF	12080180	25



#### Gránit - Graniflex Plussz




Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	11A60S-BF	35010157	25
115x2,5	41	61A30S-BF	35010071	25
115x3,2	41	61A30S-BF	12080910	25
125x1	41	11A60S-BF	35010158	25
125x2,5	41	61A30S-BF	12080780	25
125x3,2	41	61A30S-BF	12081240	25
180x2	41	61A30S-BF	35010059	25
180x2,5	41	61A30S-BF	12083090	25
180x3,2	41	61A30S-BF	12081840	25
230x2,5	41	61A30S-BF	1208A030	25
230x3,2	41	61A30S-BF	12080360	25






## Grănit - Graniflex Plusz

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x3,2	41	1C36R-BF	12081160	25
125x3,2	41	1C36R-BF	12080270	25
150x3,2	41	1C36R-BF	12080110	25
180x3,2	41	1C36R-BF	12080460	25
230x3,2	41	1C36R-BF	12080290	25




## Grănit - Cutting Master Inox

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	61A60T-BF	12080720	25
115x1,6	41	61A46T-BF	12080790	25
125x1	41	61A60T-BF	12080810	25
125x1,6	41	61A46T-BF	12081050	25
150x1,6	41	61A46T-BF	35010095	25
180x1,6	41	61A46T-BF	35010096	25
230x1,9	41	61A46T-BF	35010097	25




## IBA - GreenStar

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	10A60Z-BF	12082870	25
115x1,6	41	10A60Z-BF	12082880	25
115x2,5	41	10A30-BF	12081480	25
115x3	41	10A30-BF	12080370	25
125x1	41	10A60Z-BF	12081790	25
125x1,6	41	10A60P-BF	12082890	25
125x3	41	10A30-BF	12080400	25
150x3	41	10A30-BF	12081600	25
180x2	41	10A30-BF	12081860	25
180x2,5	41	10A30-BF	12081490	25
180x3	41	10A30-BF	12080470	25
230x2	41	10A30-BF	12080650	25
230x3	41	10A30-BF	12080480	25



## IBA - GreenStar

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1,6	41	29A60P-BF	12082900	25
115x3	41	29A30Q-BF	12081610	25
125x1,6	41	29A60P-BF	12082910	25
125x3	41	29A60Q-BF	12081440	25
180x3	41	29A30Q-BF	12081660	25
230x3	41	29A30Q-BF	12081460	25



## 5. DISCURI DE DEBITAT CUT-OFF DISCS

### IBA - GreenStar



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x3	41	90C-BF	12081510	25
125x3	41	90C-BF	12081520	25
180x3	41	90C-BF	12081530	25
230x3	41	90C-BF	12081550	25



### Norton - BDX Inox



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60T-BF	12082740	25
115x1,6	41	A46T-BF	12082800	25
115x2	41	A36X-BF	12082790	25
125x1	41	A60T-BF	12082760	25
125x1,6	41	A46T-BF	12082780	25
125x2	41	A36X-BF	12082770	25
180x2	41	A36X-BF	12080570	25
230x2	41	A36X-BF	12082750	25



### Norton Vulcan



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A 60 T-BF	35010130	25
115x1,6	41	A 46 T-BF	35010132	25
125x1	41	A 60 T-BF	35010131	25
125x1,6	41	A 46 T-BF	35010133	25
180x1,6	41	A 46 T-BF	35010140	25
230x1,9	41	A 46 T-BF	35010141	25



### Norton Vulcan Inox



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A 60 T-BF	35010063	25
115x1,6	41	A 46 T-BF	35010064	25
125x1	41	A 60 T-BF	35010065	25
125x1,6	41	A 46 T-BF	35010066	25
180x1,6	41	A 46 T-BF	35010139	25
230x1,9	41	A 46 T-BF	35010068	25





## Pferd PSF

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60P-BF	35010074	25
115x1,6	41	A46P-BF	35010076	25
115x2,4	41	A46P-BF	35010077	25
125x1	41	A60P-BF	35010075	25
125x1,6	41	A46P-BF	35010078	25
125x2,4	41	A46P-BF	35010079	25
178x3	41	A24P-BF	35010080	25
230x3	41	A24P-BF	35010081	25



## Pferd PSF Inox

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60P-BF	12082260	25
115x1,6	41	A46P-BF	12081470	25
125x1	41	A60P-BF	12081450	25
125x1,6	41	A46P-BF	1208A050	25
125x2,4	41	A46P-BF	12089540	25
180x2,5	41	A24P-BF	12082550	25
230x2,5	41	A24P-BF	12082540	25



## Tyrolit Basic



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1,6	41	A46-BF	35010033	25
115x2,5	41	A46-BF	12082250	25
125x1,6	41	A30-BF	35010017	25
125x2,5	41	A30-BF	12081990	25
150x2,5	41	A30-BF	12081250	25
178x3	41	A30-BF	12081040	25
230x3	41	A30-BF	12081680	25

Disc de debitat 2 in 1 de la Tyrolit la pret accesibil, pentru debitarea inoxului si otelului. Daca ati debitat otel, atunci nu-l mai folositi la inox, pentru evitarea ruginirii.

*Tyrolit Basic cutting-off disc specially for cutting thin steel or stainless steel sheets.*



## Tyrolit Basic Inox



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60-BF	35010031	25
125x1	41	A60-BF	35010032	25

Disc de debitat inox de la Tyrolit la pret accesibil. Utilizat la debitarea tablei de inox cu pereti subtiri, profilelor si tevi.lor de inox. Daca aveti mult si des de debitat, incercati categoria de varf de la Tyrolit Premium pentru inox.

*Tyrolit Basic cutting-off disc specially for thin stainless steel sheets at competitive price. If you cut stainless steel regularly please try Tyrolit Premium inox cutting-off disc.*



## 5. DISCURI DE DEBITAT CUT-OFF DISCS

www.abrazive-scule.ro

### Tyrolit Standard ★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x2,5	41	A30-BF	12081190	25
125x2,5	41	A30-BF	12080160	25
150x2,5	41	A30-BF	35010021	25
150x3	41	A30-BF	35010050	25
178x3	41	A30-BF	12080330	25
230x3	41	A30-BF	12080210	25



### Tyrolit Standard Inox ★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60-BF	35010029	25
115x1,6	41	A46-BF	12081200	25
125x1	41	A60-BF	35010030	25
125x1,6	41	A46-BF	12080730	25
150x2	41	A30-BF	35010051	25
150x2,5	41	A30-BF	12082350	25
178x2	41	A30-BF	35010022	25
178x2,5	41	A30-BF	12080830	25
230x2	41	A30-BF	35010052	25
230x2,5	41	A30-BF	12080010	25



Utilizat la debitarea tablei de inox cu pereti subtiri,profilelor si tevilor de inox.

Standard Tyrolit cutting-off disc specially for thin stainless steel sheets.

### Tyrolit Standard ★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x2,5	41	C30-BF	12081310	25
125x2,5	41	C30-BF	12080630	25
178x3	41	C30-BF	12081280	25
230x3	41	C30-BF	12081260	25



Disc de debitat calitate standard de la Tyrolit, utilizat la debitarea metalelor neferoase (aluminiu, titan, cupru, bronz) si pentru debitarea materialelor de constructii.

Standard quality Tyrolit cutting disc for non-ferrous metals (e.g. aluminium, tytan, copper, brass).

### Tyrolit Premium Long Life ★★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60S-BFXA	12082290	25
115x1,6	41	A46S-BFXA	12080770	25
115x2	41	A30S-BFXA	12082480	25
125x1	41	A60S-BFXA	12080800	25
125x1,6	41	A46S-BFXA	12082530	25
125x2	41	A30S-BFXA	35010041	25
150x2	41	A30S-BFXA	35010014	25
178x2	41	A30S-BFXA	35010042	25
178x2,5	41	A30S-BFXA	12081690	25
230x2	41	A30S-BFXA	35010043	25
230x2,5	41	A30S-BFXA	12082520	25



Disc de debitat de mare performanta recomandat in primul rand pentru debitarea rapida si comoda a otelului.

High quality cutting-off disc particularly for steel.

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Canitate impachetare  
Packing unit

Produs standard  
Standard product



## Tyrolit Premium Inox extra subtire / extra thin



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x0,75	42	A60R-BFXA	35010011	25
125x0,75	42	A60R-BFXA	35010062	25

Disc de debitat cu cea mai inalta calitate si performanta, totodata cea mai subtire de la Tyrolit. Utilizat expres la debitarea tablei cu pereti subtiri de inox, tevilor de inox si alte structuri de inox. Este caracterizat de consum de energie redusa, taiere rapida cu span redus, fara bavuri.

*Top quality and the thinnest Tyrolit utting disc specially cutting thin stainless sheets, tubes and tanks.*



## Tyrolit Premium Inox



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60R-BFXA	12081930	25
115x1,6	41	A46R-BFXA	12080150	25
115x2	41	A30R-BFXA	35010044	25
115x2,5	41	A30R-BFXA	12081700	25
125x1	41	A60R-BFXA	12082110	25
125x1,6	41	A46R-BFXA	12081180	25
125x2	41	A30R-BFXA	35010045	25
125x2,5	41	A30R-BFXA	12081760	25
125x3	41	A30R-BFXA	35010046	25
150x2	41	A30R-BFXA	35010018	25
178x2	41	A30R-BFXA	12082270	25
178x2,5	41	A30R-BFXA	12082440	25
230x2	41	A30R-BFXA	35010047	25
230x2,5	41	A30R-BFXA	35010048	25
230x3	41	A30R-BFXA	35010049	25

Disc de debitat inox de la Tyrolit, optimizat pentru taierea tablei de inox cu pereti subtiri, a profilelor si tevilor de inox. Fiind foarte eficient, este foarte popular acest disc de debitat profesional.

*High performance Tyrolit cutting-off disc specially for stainless steel sheets, tubes. Very popular professional cutting-off disc.*



## Tyrolit Premium 2 in 1



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x1	41	A60Q-BFXA	35010028	25
115x1,6	41	A46Q-BFXA	35010023	25
115x2,5	41	A30Q-BFXA	35010035	25
125x1	41	A60Q-BFXA	35010026	25
125x1,6	41	A46Q-BFXA	35010019	25
125x2,5	41	A30Q-BFXA	35010020	25
150x1,6	41	A46Q-BFXA	12082730	25
150x2,5	41	A30Q-BFXA	35010036	25
178x1,6	41	A46Q-BFXA	12082120	25
178x2,5	41	A30Q-BFXA	35010037	25
178x3	41	A30Q-BFXA	35010038	25
230x1,9	41	A46Q-BFXA	12082660	25
230x2,5	41	A30Q-BFXA	35010039	25
230x3	41	A30Q-BFXA	35010040	25

Disc de debitat 2 in 1 de la Tyrolit de mare performanta pentru otel si inox. Daca ati debitat cu un disc otel, nu-l mai folositi pentru inox, pentru evitarea ruginirii.

*High quality 2 in 1 cutting disc for stainless steel and steel.*



## 5. DISCURI DE DEBITAT CUT-OFF DISCS

Tyrolit Premium Alu ★★ ★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x2,5	41	A30P-BF	12081070	25
125x1,6	41	A46P-BF	35010053	25
125x2,5	41	A30P-BF	35010013	25
178x2,5	41	A30P-BF	12081100	25
230x2,5	41	A30P-BF	12080580	25



Disc de debitat metale neferoase de calitate de varf de la Tyrolit (aluminiu, titan, cupru, bronz).  
Top quality Tyrolit cutting disc for non-ferrous metals (e.g. aluminium, tytan, copper, brass).

3M



Dimensiune Size	Forma Form	Granulatie Specification	Nr. art. Art.-Nr.	
115x1mm	41	95A46RBF	35010125	25
125x1mm	41	95A46RBF	35010126	25



3M Inox



Dimensiune Size	Forma Form	Granulatie Specification	Nr. art. Art.-Nr.	
115x1mm	41	99A46RBF	35010128	25
125x1mm	41	99A46RBF	35010127	25



Pentru siguranta si sanatatea Dumneavoastra, utilizati intotdeauna echipament de protectie individuala.

*For your safety and health please use personal protective equipments.*



## 5.2. PENTRU MASINI STATIONARE SI PORTABILE - FOR STATIONARY AND PORTABLE MACHINES



## Gránit - Graniflex Plusz

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300x3,2x20	41	1A30S	12082680	10
300x3,2x32	41	1A30S	12080220	10
355x3,5x25	41	1A24S	35020014	10
400x4x40	41	1A24S	12080230	10
500x5x40	41	1A24S	12080300	10



## Gránit - Graniflex Plusz

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300x3,2x32	41	61A30	12081290	10
400x4x40	41	61A24	12080490	10



## Gránit - Graniflex Plusz - Oteluri aliate / Compound steel

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300x3,2x32	41	16A30	35020015	10
400x4x40	41	16A30	35020016	10



## Gránit - Graniflex Plusz

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300x3,2x20	41	1C30R-BF	12080310	10
300x3,2x32	41	1C30R-BF	12080280	10
400x4x40	41	1C24R-BF	12080240	10
500x5x40	41	1C24R-BF	12080320	10



## Iba - Adaflex


Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300x3x25,4	41	10A30S-BF	12082430	25
300x3x32	41	10A30S-BF	12080530	25
400x4x25,4	41	10A30S-BF	12082460	10
400x4x40	41	10A30S-BF	12081540	10
500x5x50	41	10A30S-BF	12081780	10



## 5. DISCURI DE DEBITAT CUT-OFF DISCS

### Tyrolit Basic★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300x3,5x25,4	41CH	A30-BF	35020009	10
300x3,5x32	41CH	A30-BF	35020001	10
350x2,8x25,4	41CH	A46-BF	35020011	10
350x4x25,4	41CH	A30-BF	35020010	10




### Tyrolit Premium★★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300 x 2,5 x 25,4	41F	A46N-BF	35020002	10
300 x 3,5 x 32	41F	A30Q-BF	12081740	10
400 x 4 x 40	41F	A30Q-BF	1208A010	10
500 x 5,5 x 40	41F	A240-BF	12080660	10



### Pferd

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
300 x 2,8 x 32	41	A36K SG	35020020	10



## 6. DISCURI DE POLIZAT GRINDING DISCS

### 6.1. DISCURI DE POLIZAT PENTRU POLIZOARE UNGHIULARE - DEPRESSED CENTRE WHEELS FOR ANGLE GRINDER

Se utilizeaza pentru polizarea, debavurarea, curatarea metalelor feroase, neferoase, fonta, piatra cu ajutorul polizoarelor unghiulare. In afara de discurile de polizat consacrate, va oferim si alte solutii pentru prelucrarea diferitelor suprafete.

*They are used for de-burring and surface cleaning of ferrous and nonferrous metals, castings and stones, with angle grinder. Beside the traditional snagging wheels we offer new grinding systems for cleaning of various surfaces.*

#### Gránit - Graniflex Plusz



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x4	27	1A30S-BF	12090500	10
115x6	27	1A30S-BF	12090130	10
125x4	27	1A30S-BF	12090160	10
125x6	27	1A30S-BF	12090140	10
150x4	27	1A30S-BF	12090720	10
150x6	27	1A30S-BF	12090040	10
180x4	27	1A30S-BF	12090150	10
180x6	27	1A30S-BF	12091010	10
180x8	27	1A30S-BF	12090390	10
230x4	27	1A30S-BF	12090670	10
230x6	27	1A30S-BF	12090020	10
230x8	27	1A30S-BF	12091160	10



#### Gránit - Graniflex Plusz



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x4	27	61A30R-BF	12090980	10
115x6	27	61A30R-BF	12090380	10
125x4	27	61A30R-BF	12090990	10
125x6	27	61A30R-BF	12090490	10
180x4	27	61A30R-BF	12091020	10
180x6	27	61A30R-BF	12090370	10
230x6	27	61A30R-BF	12090850	10



#### Gránit - Graniflex Plusz




Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x4	27	1C30R-BF	12091070	10
115x6	27	1C30R-BF	12090470	10
125x4	27	1C30R-BF	12091080	10
125x6	27	1C30R-BF	12090460	10
150x4	27	1C30R-BF	12091090	10
150x6	27	1C30R-BF	12090840	10
180x4	27	1C30R-BF	12091100	10
180x6	27	1C30R-BF	12090450	10
180x8	27	1C30R-BF	12091110	10
230x4	27	1C30R-BF	12091150	10
230x6	27	1C30R-BF	12090830	10
230x8	27	1C30R-BF	12091170	10






3M - Green Corps™

Dimensiune Size	A 36	A 46	A 60	A 80	
115x3,2	12091570	12091600	12091610	12091620	20
125x3,2	12091580			36010082	20
180x3,7	12091590	12091630	12091640		20

Nu utilizati Green Corps™ fara suport!



Iba - Green Star

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x4	27	10A30-BF	12090880	25
115x6	27	10A30-BF	12090230	25
125x4	27	10A30-BF	12090890	25
125x6	27	10A30-BF	12090810	25
180x4	27	10A30-BF	12090900	25
180x6	27	10A30-BF	12090330	25
180x8	27	10A30-BF	12090540	25
230x6	27	10A30-BF	12090820	25
230x8	27	10A30-BF	12090200	25




Iba - Green Star

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x6	27	29A30Q	12090740	25
125x6	27	29A30Q	12090620	25
180x6	27	29A30Q	12090920	25
230x4	27	29A30Q	36010057	25
230x6	27	29A30Q	12090710	25




Iba - Green Star

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x6	27	90C24R	12090860	25
125x6	27	90C24R	12090870	25
180x6	27	90C24R	36010008	25
230x6	27	90C24R	36010009	25



Saint Gobain - BDX

Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x6	27		36010032	10
125x6	27		36010033	10
178x6	27		36010034	10
230x6	27		36010035	10

Produs standard  
Standard product

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Cantitate impachetare  
Packing unit



## 6. DISCURI DE POLIZAT GRINDING DISCS

### Tyrolit Basic ★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x6	27	A30-BF	12091300	10
125x6	27	A30-BF	12091340	10
150x6	27	A30-BF	12090580	10
178x6	27	A30-BF	12090510	10
178x8	27	A30-BF	36010083	10
230x6	27	A30-BF	12091250	10



### Tyrolit Standard ★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x6	27	A24-BF	36010005	10
125x6	27	A24-BF	36010006	10
150x6	27	A24-BF	36010010	10
178x6	27	A24-BF	36010011	10
230x6	27	A24-BF	36010007	10



### Tyrolit Standard ★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x6	27	A30-BF	12090480	10
125x6	27	A30-BF	12090530	10
150x6	27	A30-BF	12091450	10
178x6	27	A30-BF	12090290	10
178x8	27	A30-BF	12090560	10
230x6	27	A30-BF	12090520	10



### Tyrolit Premium ★★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x4	27	A30S-BFX	36010012	10
115x7	27	A30S-BFX	36010016	10
125x4	27	A30S-BFX	12091540	10
125x7	27	A30S-BFX	36010003	10
178x4	27	A30S-BFX	36010014	10
178x7	27	A30S-BFX	36010001	10
230x4	27	A30S-BFX	36010015	10
230x7	27	A30S-BFX	12090730	10



### Tyrolit Premium ★★★



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x4	27	A30R-BFX	36010041	10
115x7	27	A30R-BFX	12090120	10
125x4	27	A30R-BFX	12090340	10
125x7	27	A30R-BFX	36010023	10



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit

Produs standard  
Standard product

## 6. DISCURI DE POLIZAT GRINDING DISCS




Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
178x4	27	A30R-BFX	12090110	10
178x7	27	A30R-BFX	12090180	10
230x4	27	A30R-BFX	36010047	10
230x7	27	A30R-BFX	36010040	10




Tyrolit Premium 2 in 1



Dimensiune Size	Forma Form	Granulatie Grit	Nr. art. Art.-Nr.	
115x7	27	A30Q-BFX	36010078	10
125x7	27	A30Q-BFX	36010079	10
150x7	27	A30Q-BFX	36010080	10
178x7	27	A30Q-BFX	36010081	10
230x7	27	A30Q-BFX	36010052	10



Norton Octopus

Dimensiune Size	Forma Form	A 36	A 60	
115mm	27	36030007	36030008	20
125mm	27	36030005	36030006	20


### 6.2.

## CORPURI SEMIFLEXIBILE - SEMIFLEXIBLE WHEELS

Utilizare, cu suport la polizoare unghiulare, la slefuirea betonului, marmurei, granitului si materialelor de constructii.  
They are used with supporting disk on angle grinder, for grinding of stone and concrete.



Happy Work

Dimensiune Size	Forma Form	C 16	C 24	C 36	C 60	C 80	C 120	
115mm	FFT	36020020	36020008	36020009	36020010	36020011	36020012	5
180mm	FFT	36020021	36020013	36020014	36020015	36020016	36020017	5

### 6.3.


## RONDELLER - RONDELLER

Se utilizeaza la curatarea si slefuirea suprafetelor metalice si piatra. Datorita formei conice este recomandat pentru suprafete cilindrice. Nu este necesar utilizarea vreunei suport.

They are used for cleaning of stainless materials. They are suitable for application of cylindrical surfaces too. Using of supporting disc is not necessary.




Tyrolit Rondeller

Dimensiune Size	Forma Form	A 36	A 60	
115mm	29 RON	12220150	12220160	25
125mm	29 RON	12220110	12220120	25
178mm	29 RON	12220170	12220180	25



Tyrolit Rondeller

Dimensiune Size	Forma Form	C 36	C 60	
115mm	29 RON	12220190	36030001	25
125mm	29 RON	36030002		25
178mm	29 RON	12220130	12220140	25

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



## 7. DISCURI LAMELARE FLAP WHEELS

### 7.1. DISCURI LAMELARE FRONTALE - FLAP DISCS FOR ANGLE GRINDER

Pe partea frontala al suportului drept sau conic sunt lipite lamele de panza abraziva, Sunt utilizate pe polizoare unghiulare, pentru prelucrarea cordoanelor de sudura si curatarea suprafetelor. Pentru suprafete plane mari se utilizeaza forma dreapta, iar cea conica pentru restul cea conica.

A - slefuire lemn, otel

ZA - slefuire inox, aluminiu si otel.

*They are coated abrasive flaps fixed on flat or convex disc. They are suitable on angle grinder, excellently useful for grinding of surfaces or welded seams. The flat disc form is used for great flat surfaces; the convex disc form is used for other works.*

A - for steel and wood

ZA - for stainless steel and aluminium



#### Happy Work



Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	
115 mm	conic - conical	fibra de sticla - glassfibre	12191500	12191510	12191520	10
125 mm	conic - conical	fibra de sticla - glassfibre	41010123	41010124	41010125	10



#### Hector



Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	A100	
115 mm	drept - flat	fibra de sticla - glassfibre	41010145	41010146	41010147		10
115 mm	conic - conical	fibra de sticla - glassfibre	41010140	41010142	41010143	41010144	10
125 mm	drept - flat	fibra de sticla - glassfibre	41010165	41010166	41010167		10
125 mm	conic - conical	fibra de sticla - glassfibre	41010160	41010162	41010163		10
180 mm	drept - flat	fibra de sticla - glassfibre	41010183	41010184	41010155		10
180 mm	conic - conical	fibra de sticla - glassfibre	41010179	41010181	41010182		10



#### Norton Vulcan



Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	
115 mm	conic - conical	fibra de sticla - glassfibre		12190700		20
125 mm	conic - conical	fibra de sticla - glassfibre				20



#### Tyrolit Premium



Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	A120	
115 mm	conic - conical	fibra de sticla - glassfibre	12191030	12191040	12191050	12190030	10
115 mm	drept - flat	fibra de sticla - glassfibre	12190020	12191100	12190010		10
125 mm	conic - conical	fibra de sticla - glassfibre	12190330	12190340	12190350		10
125 mm	drept - flat	fibra de sticla - glassfibre	12190050	12190290			10
180 mm	conic - conical	fibra de sticla - glassfibre	12191060	12191070	12190200		10
180 mm	drept - flat	fibra de sticla - glassfibre	12190100				10





## Fast Grinder

Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	
115 mm	drept - flat	fibra de sticla - glassfibre	12190460	12190470	12190880	20
115 mm	conic - conical	fibra de sticla - glassfibre	12190430	12190440	12190450	20
125 mm	drept - flat	fibra de sticla - glassfibre	12190490	12191290	12191300	20
125 mm	conic - conical	fibra de sticla - glassfibre	12191550	12190550	12190560	20
180 mm	drept - flat	fibra de sticla - glassfibre	12190530	12190830	12190890	20
180 mm	conic - conical	fibra de sticla - glassfibre	12190500	12190510	12190520	20



## Graniflap

Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	
115 mm	conic - conical	fibra de sticla - glassfibre	41010075	41010076	41010077	10
125 mm	conic - conical	fibra de sticla - glassfibre	41010078	41010079	41010080	10
180 mm	conic - conical	fibra de sticla - glassfibre	41010081	41010082		10



## Granit Economy

Dimensiune Size	Forma Shape	Suport Backing	A 40	A 60	A 80	
115 mm	conic / conical	fibra de sticla - glassfibre	41010217	41010218	41010219	10
125 mm	conic / conical	fibra de sticla - glassfibre	41010220	41010221	41010222	10



## Graniflap

Dimensiune Size	Forma Shape	Suport Backing	ZA 40	Z 60	ZA 80	
115 mm	conic / conical	fibra de sticla - glassfibre	41010083	41010084	41010085	10
125 mm	conic / conical	fibra de sticla - glassfibre	41010074	41010086	41010087	10



## 3M

Dimensiune Size	Forma Shape	Suport Backing	Z 40	Z 60	Z 80	Z 120	
115 mm	conic - conical	fibra de sticla / glassfibre	41010134	41010135	41010136		10
125 mm	conic - conical	fibra de sticla / glassfibre	41010137	41010138	41010139		10



## Hector HLF

Dimensiune Size	Forma Shape	Suport Backing	ZA 40	ZA 60	ZA 80	ZA120	
115 mm	drept - flat	fibra de sticla - glassfibre	41010154	41010156	41010157		10
115 mm	conic - conical	fibra de sticla - glassfibre	41010148	41010150	41010151		10
125 mm	drept - flat	fibra de sticla - glassfibre	41010174	41010175	41010176		10
125 mm	conic - conical	fibra de sticla - glassfibre	41010168	41010170	41010171	41010173	10
180 mm	conic - conical	fibra de sticla - glassfibre	41010185	41010188	41010189		10



## 7. DISCURI LAMELARE FLAP WHEELS

### Hector HLE



Dimensiune Size	Forma Shape	Suport Backing	ZA 40	ZA 60	ZA 80	
115mm	drept - flat	plastic - plastic	12191590	41010056	41010057	20



### Tyrolit Premium



Dimensiune Size	Forma Shape	Suport Backing	ZA 40	ZA 60	ZA 80	ZA120	
115 mm	drept - flat	fibra de sticla - glassfibre	12191010	12190160	12190170		10
115 mm	conic - conical	fibra de sticla - glassfibre	12190120	12190130	12190140	12190180	10
125 mm	drept - flat	fibra de sticla - glassfibre	12190390	12190420	12190380		10
125 mm	conic - conical	fibra de sticla - glassfibre	12190300	12190410	12190310		10
180 mm	drept - flat	fibra de sticla - glassfibre	12191020	12191080	12190090		10
180 mm	conic - conical	fibra de sticla - glassfibre	12191090	12190190	12190110		10



### Tyrolit Basic



Dimensiune Size	Forma Shape	Suport Backing	ZA 40	ZA 60	
115 mm	drept - flat	fibra de sticla - glassfibre	41010223		10
115 mm	conic - conical	fibra de sticla - glassfibre			10
125 mm	drept - flat	fibra de sticla - glassfibre	41010224		10
125 mm	conic - conical	fibra de sticla - glassfibre			10



### Fast Grinder



Dimensiune Size	Forma Shape	Suport Backing	ZA 40	ZA 60	ZA 80	
115 mm	drept - flat	plastic - plastic	12190610	12190910	12191210	20
115 mm	conic - conical	fibra de sticla - glassfibre	12190920	12190950	12190960	20
125 mm	drept - flat	fibra de sticla - glassfibre	12191310	12191190	12191250	20
125 mm	conic - conical	fibra de sticla - glassfibre	12191110	12191370	12191320	20
180 mm	drept - flat	fibra de sticla - glassfibre	12190540	12190810	12190820	20
180 mm	conic - conical	fibra de sticla - glassfibre	12190870	12190930	12191330	20



### Happy Work



Dimensiune Size	Forma Shape	Suport Backing	Z 40	Z 60	Z 80	
115mm	conic - conical	fibra de sticla - glassfibre	41010194	41010195	41010196	10
125mm	conic - conical	fibra de sticla - glassfibre	41010197	41010198	41010199	10



### Norton Vulcan



Dimensiune Size	Forma Shape	Suport Backing	ZA 40	ZA 60	ZA 80	
115 mm	conic - conical	fibra de sticla - glassfibre	41010202	41010203	41010204	20
125 mm	conic - conical	fibra de sticla - glassfibre	41010206	41010207	41010208	20



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit

Produs standard  
Standard product

## 7.2. DISCURI LAMELARE FRONTALE CU TIJA - FLAP WHEELS WITH SHAFT



## Fast Grinder RLG

Dimensiune size	P 40	P 60	P 80	P120	P 220/240	P320	
10x10x3		12270870	12271220	12271230			25
15x15x3		12271240	12270900	12271250			25
20x10x6		12271260	12270940	12271010	12271270	12272350	25
20x20x6		12272570	12272580	12272680	12271050	12272340	25
25x15x6		12271280	12272460	12271290	12271300	12271120	25
30x10x3	12271310	12271320	12272990	12271330	12271340	12271170	25
30x10x6	12272660	12271350	12271360	12273080	12271190	12273090	25
30x15x6	12273100	12272590	12271830	12273110	12273120	12273130	25
30x20x6	12271370	12271380	12272920	12271390	12271400	12272040	25
40x10x6	12273140	12272050	12272060	12273150	12272270	12273160	25
40x15x6		12271410					25
40x20x6	12271430	12270250	12270260	12270270	12271440	12272330	25
40x30x6		12273520					25
50x10x6	12272730	12273580	12273000	12273600	12272280		25
50x20x6	12271450	12270280	12270290	12270330	12271460	41020040	25
50x30x6	12270850	12273540	12273550	12272360	12272320		25
60x15x6	12271470	12271480	12273010	12271490	12271500		25
60x20x6	12273670	12271510	12271520	12271530	12271540		25
60x30x6	12271550	12270380	12270390	12270400	12271560		25
60x40x6	12272620	12271570	12271580	12272610	12272630	12270750	25
80x30x6	12271590	12270410	12270420	12270430	12271600		25
80x40x6	12272650	12271610	12271620	12272640	12273940		25
80x50x6	12270340	12270350	12270360	12270370	12270530	41020043	25

De obicei se executa cu ax de 6mm sau 3mm, panza abraziva este dispusa radial. Sub forma cu tija se execut pana la diametru de 80 mm si inaltime de 50 mm. Datorita granularii vaste se utilizeaza in gama larga. Randamentul slefuirii depinde mult de turatia folosita (viteza periferica). Se utilizeaza pe scule de mana sau masini unelte pentru slefuirea si curatarea de interioare, suprafete plane sau profilate, de metal, inox sau lemn.


*They are abrasive tools made of abrasive sheets fastened generally on 6 mm or 3 mm diameter shaft. Abrasive mops with shaft are produced with max 80 mm diameter and 50 mm thickness. They are suitable on wide field because of their grain size. The efficiency of*

*grinding depends on revolutions per minute (peripheral speed). They are suitable on hand machines or machine tools for cleaning and finishing of holes, convex and flat surfaces and profiles, beside small chip removal. They are also suitable for grinding of stainless steel, steels and wood.*

## 7.3. DISCURI LAMELARE VLIES CU TIJA - NON-WOVEN SHAFT MOUNTED WHEELS



## Fast Grinder NTL

Dimensiune Size	Dur Coarse	Medie Medium	Fin Fine	Foarte fin Very fine	Ultra fin Ultrafine	
30x10x6		12272070		12271930		10
30x20x6		12272080		12271940		10
30x30x6		12272090		12271950		10
40x20x6		12271870		12271880		10
40x30x6		12272100		12271970		10
50x20x6		12272110		12271960		10
50x30x6		12272120		12271980		10
60x30x6		12271890		12271900		10
60x40x6		12272130		12271990		10
80x30x6		12272140		12272000		10
80x50x6		12272150		12272010		10

Se executa cu ax de 6 mm. Indeparteaza mizeria cu un randament bun, fara deformare, de pe suprafete cilindrice, din gauri. Finisarea si structurarea excelenta a acestor suprafete.

*The tools are produced with 6 mm shaft. They will remove various dirties from the work pieces with good efficiency without scratches. They are suitable for cleaning and finishing of peripheral surfaces and holes, good surface structure could be reached with their use.*



## 7. DISCURI LAMELARE FLAP WHEELS

### 7.4. DISCURI LAMELARE COMBIMATE CU TIJA - INTERLEAVED SHAFT MOUNTED WHEELS

#### Fast Grinder - NTM

Dimensiune size	A60	A100	A150	A240	
30x20x6			12272170		10
30x30x6			12272180		10
40x20x6		12272020	12271910		10
40x30x6			12272190		10
50x30x6		41040003	12272210		10
60x30x6	12273760		12271920		10
60x40x6			12272220		10
80x50x6	12270150	12270180	12272240		10
100x50x6				41040001	10



Imbina excelent caracteristicile panzei abrazive cu cea a abrazivelor netesute (vlies). Cu utilizarea acestora se pot indeparta cu usurinta straturi de pe suprafete, fara a lasa zgarieturi. Se mai utilizeaza si la structurarea suprafetelor.

*They alloy the best characteristics of abrasive cloth and nylon webbed mops. Unwanted layers could be removed easy and without scratches with their use. They are used for finishing surfaces too.*

### 7.5. PERII LAMELARE - FLAP WHEELS

#### Fast Grinder - RLF

Dimensiune size	Gaura bore	A 40	A 60	A 80	A 100	A 120	A 180	A 220	A 320	
165x25	25									1
165x30	54	12270720	12270680	12272770		12270660	12273210	12271630	12271640	1
165x50	25									1
165x50	54	12270600	12270450	12271840	12273620	12270220	12272310	12271650	12271660	1
200x30	54	12271670	12271680	12271070		12271690	12271140	12271700	12271710	1
200x50	54	12271720	12271730	12271160		12271740	12273720	12271750	12271760	1
250x50	100	12271770	12271780	12271790		12271800	12271180	12272690	12271820	1
300x50	100	12270630	12273700	12273690		12270020	12272890	12273740		1




Slefuirea si curatarea suprafetelor de diferite metale, otel, inox, aluminiu. Datorita gamei vaste de granulatii, utilizat la finisari si pregatirea suprafetelor pentru polish.

*They are excellent suitable for sanding and surface grinding of different metals, steels, -included stainless steel too - and aluminium. Because of various grain sizes it is used for fine finishing and preparation for polishing.*


### 7.6. DISC LAMELAR UNGHIALAR - CORNER FLAP DISC

#### Fast Grinder

Méret Size	Alak Shape	Hordozó Backing	ZA 40	ZA 60	ZA 80	
115 mm	28COR	üvegszövet - glassfibre	41010058	41010059	41010060	10

Slefuirea colturilor, muchiilor si suprafetelor arcuite, caracterizat de zgomot si temperatura scazuta

*Suited to reach corners, work on curved surfaces, to reduce heat and noise development. It work more gently that conventional flap disc.*



## 8. DISCURI FIBRA VULCANICA FIBRE DISCS

[www.abrazive-scule.ro](http://www.abrazive-scule.ro)

### 8. UTILIZAREA, PROPRIETATILE DISCURILOR FIBRA VULCANICA

Hermes		Utilizare																																					
Tip	Abraziv	Otel	Inox	Al., cupru	Lemn	Lac/Vopsea	Plastic	Piatra/roca	Piele	Sticla	Suport	Structura	Liant	Extra	Semn	16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	
RB 314	Korund	O		O							X/J	Z	M		P	X	X	X	X	X	X	X	X	X	X														
RB 315	SiC							O			X/J	Z	M		#	X	X		X	X	X	X	X	X	X	X	X												
CB 444	Sapphire Blue	H	O								X/J	Z	M		#/P				X	X		X	X																
CR 456	Sapphire Blue	H	O								X/J	Z	M	Procut	#/P		X		X	X		X	X	X	X														
RB 414	Zirconkorund	H	O	H							X	z	M		+	X		X	X	X	X	X	X																

#### 8.1. DISCURI FIBRA VULCANICA PENTRU POLIZOARE UNGHIULARE - FIBRE DISCS FOR ANGLE GRINDER

Componenta de baza este fibra vulcanica cu grosimea de 0,4-1,0 mm. pe care sunt distribuite granulele abrazive de corund, zirconiu sau SiC cu ajutorul unui liant. Pentru utilizarea fibrei vulcanice este necesar un suport. In primul rand se utilizeaza la curatarea suprafetelor metalice, slefuirea cordoanelor de sudura, dar este utilizat si in industria lemnului. Cea cu granule de SiC se utilizeaza la prelucrarea pietrei si rocai.

*The basic material of fibre disc is 0,4-1,0 mm thick fibre sheet. The various aluminium oxide, zirconium or silicon carbide grains are bonded on the fibre sheet with resin. For fibre discs it is necessary to use backing pads. These discs are suitable for surface cleaning and grinding welded seams of metals or woods. With silicon carbide types they are suitable for processing of stones and rocks.*

#### PENTRU METAL SI LEMN - FOR METAL AND WOOD



##### HappyWork - FRA

Dimensiune Size	A 16	A 24	A 36	A 40	A 60	A 80	A 100	A 120	
115mm		42010052	42010053	42010054	42010055	42010056	42010057	42010058	25
125mm		42010067	42010068	42010069	42010070	42010071	42010072	42010073	25
180mm	12100660	42010081	42010082	42010083	42010084	42010085	42010086	42010087	25



##### Hermes - RB314X

Dimensiune Size	A 16	A 24	A 36	A 40	A 60	A 80	A 100	A 120	
115mm	12100290	12101280	12100080	12101440	12100720	12100070	12100410	12102050	25
125mm	12100240	12101260	12100690	12101310	12100090	12100040	12100230	12100770	25
180mm	12100790	12101390	12102020	12100020	12102030	12100560	12102110	12101110	25
230mm	42010011	120100930	42010012	12100010	12102040	12102270	12100120	42010013	25



##### VSM - KF708

Dimensiune Size	A 16	A 24	A 36	A 40	A 60	A 80	A 100	A 120	
115mm	12101300	12100350	12100970	12100380	12100980	12100370	12100480	12100400	25
125mm	12101250	12100920	12101400	12101410	12101430	12101450	12101470	12101500	25
180mm	12101320	12100750	12100780	12100360	12101290	12100470	12100490	12100260	25

Dimensiune Size	A 36	A 60	A 80	
115mm	42010167	42010170	42010171	
125mm	42010168	42010172	42010173	
180mm	42010169			



*Extrem de puternic*

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit

Produs standard  
Standard product



## PENTRU PIATRA - FOR STONE

### HappyWork - FRC

Dimensiune Size	C 16	C 24	C 36	C 40	C 60	C 80	C100	C120	
115mm	42010104	42010105	42010106	42010107	42010108	42010109	42010110	42010111	25
125mm	42010112	42010113	42010114	42010115	42010116	42010117	42010118	42010119	25
180mm	42010096	42010097	42010098	42010099	42010100	42010101	42010102	42010103	25

### Hermes - RB315X

Dimensiune Size	C 16	C 24	C 36	C 40	C 60	C 80	C100	C120	C150	
115mm	42010125	42010126	42010127	42010128	42010129	42010130	42010131	42010132	42010133	25
180mm	42010135	42010136	42010137	42010138	42010139	42010140	42010141	42010142	42010143	25

### VSM - SF08

Dimensiune Size	C 16	C 24	C 36	C 50	C 60	C 80	C100	C120	
115mm		12100530	12100830		12100280	12100880		12100300	25
125mm		12100340	12101130		12100730	12100740		12100910	25
180mm	12100600	12100810	12100460	12100840	12100390	12100450		12100440	25



## INOX - STAINLESS STEEL

### HappyWork - FRZ

Dimensiune Size	P 16	P 24	P 36	P 40	P 60	P 80	P100	P120	
115mm	42010059	42010060	42010061	42010062	42010063	42010064	42010065	42010066	25
125mm	42010120	42010074	42010075	42010076	42010077	42010078	42010079	42010080	25
180mm	42010088	42010089	42010090	42010091	42010092	42010093	42010094	42010095	25

### Hermes - RB414X

Dimensiune Size	P 16	P 24	P 36	P 40	P 60	P 80	
115mm			12102180	12102190	12102200	12102210	25
125mm			12102060	12102070	12102080	12102090	25
180mm			12102220	12102230	12102240	12102250	25

### VSM - ZF713

Dimensiune Size	P 16	P 24	P 36	P 40	P 60	P 80	
115mm		12101000	12100050	12100500	12101120	12101590	25
125mm		12101630	12100680	12101570	12100310	12101560	25
180mm		12100130	12100270	12100990	12100430	12100520	25

### 3M - 987C Cubitron II

Dimensiune Size	P 24	P 36	P 50	P 60	P 80	P100	P120	
115mm		12100420		12100540	12101850			25
125mm		12102510		12101030	12101080			25



*Extrem de puternic*

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



## 8. DISCURI FIBRA VULCANICA FIBRE DISCS

www.abrazive-scule.ro

### 8.1. MINI DISCURI FIBRA VULCANICA CU PRINDERE RAPIDA - MINI FIBRE DISCS, FAST FASTENING

Se utilizeaza la curatarea suprafetelor metalice, slefuirea cordoanelor de sudura cu granule de corund sau zirconiu. Caracterizat de putere mare de slefuire si viata lunga. Sunt cu doua feluri de sisteme de prindere.

*With aluminium oxide or zirconium grains they are used for surface cleaning, grinding welded seams of diverse steels and ferrous metals. Their material is the same as the bigger (suitable on angle grinder) fibre discs. They are character-sized by high surface removal rate and long lifetime.*



3M

Sistemul 3M™ Roloc™ asigura schimbul rapid si confortabil al sculelor pe acela suport, astfel se schimba usor granulatiile, dimensiunile si tehnologia de slefuire. Se pot utiliza pe toate tipurile de polizoare unghiulare si masini de slefuit electrice sau pneumatice. Pentru sculele de 25, 50 si 75 mm folositi in totdeauna suportul corespunzator.

3M Roloc - Codificarea granulatiilor pe culori										
Granulatie Grits	P24	P36	P50	P60	P80	P100	P120	P150	P180	P240
Culoare suport Colour of plastic	negru black	maro brown	verde green	portocaliu orange	gri grey	albastru blue	alb white	negru black	maro brown	verde green

#### 3M - Roloc 361F

Dimensiune Size	P 24	P 36	P 60	P 80	P120	P180	P320	
25mm				12720840	12720380			50
50mm			12720400	12720860	12720410		12720450	50
75mm			42020009					50

Disc puternic cu granule de oxid de aluminiu, utilizat la slefuiri si indepartari de diferite materiale. Utilizabil excelent la polizarea si nivelarea cordoanelor de sudura.

#### 3M - Roloc 777F

Dimensiune Size	P 24	P 36	P 60	P 80	P120	P180	P320	
25mm			12720390					50
50mm		12721340	12721310	12720990	12721000			50
75mm			12721330	12721320	12721180			50

Granule ceramice 3M™ Cubitron™. Avantajul fata de discurile uzuale cu granule de oxid de aluminiu, consta in faptul ca se incalzesc mai putin, astfel avand o viata mult mai lunga. Utilizabil excelent la oteluri inoxidabile.

#### 3M - Roloc 785C

Dimensiune Size	P 24	P 36	P 60	P 80	P120	P180	P320	
75mm	12720200	12721020	12721030	12721040	12721170			50

Granule ceramice 3M™ Cubitron™. Avantajul fata de discurile uzuale cu granule de oxid de aluminiu, consta in faptul ca se incalzesc mai putin, astfel avand o viata mult mai lunga. Utilizabil excelent la oteluri inoxidabile.

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit

Produs standard  
Standard product



## 3m - PS-RL Scotch-Brite™

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
100 x 10.000	A VFN	rosu inchis - dark red	62137	43050008	1
100 x 10.000	S UFN	gri - grey	62138	43050009	1
115 x 10.000	A VFN	rosu inchis - dark red	62139		1
115 x 10.000	S UFN	gri - grey	62140		1

Produsele cu structura tridimensională Scotch-Brite™ se potrivesc perfect la suprafața de prelucrat și datorită dispersiei egale a granulelor, asigură o finisare perfectă și uniformă.

## Hermes - Webrax

Dimensiune Size	Tip Type	P 80	P120	P180	P280	
100mm	OA710 Webrax	12660200				10
100mm	OA708 Webrax		12660040	12660210	12660050	10

## BENZI FARA SFARSIT - BELTS

Se executa la comanda in scurt timp, dupa cerintele proprii.



## 12.2.

## BLACK CLEANER

„BLACK CLEANER”-ul are o structură puternică, granule dure. Se utilizează la curățarea cordoanelor de sudură, îndepărtarea de vopsele, ruginei. După execuție poate fi cu gaură, suport rigid, suport fibra vulcanică, cu tijă și cu sistem de fixare rapidă (Roloc).

*The black cleaner is a heavy-structured surface-conditioning abrasive tool, which contains coarse grains. It can be used for cleaning of welded seams, removing of paint, rust and any other remains. It can be with bore, on stiff backings, on fibre backings, with shaft, and with fast fastening.*

## CU GAURA - BLACK CLEANER WITH BORE

Varianta economică, datorită faptului că după uzura discului, suportul de prindere se utilizează în continuare.



## 3M - CG-DC Scotch-Brite™

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
100x13x13	S XCS	albastru - blue	61121	12330310	30
150x13x13	S XCS	albastru - blue	61122	12330260	20
200x13x13	S XCS	albastru - blue	61123	12330320	12

Se pot utiliza în locul periiilor de sarma. Curată suprafețele metalice de rugine, vopsea, decolorează cordoanele de sudură. Corespunde excelent la oțelurile inoxidabile. CG (albastru) varianta mai flexibilă.



## 3M - XT-DC Scotch-Brite™

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
100x13x13	S XCS	mov - purple	07933	12330210	30
150x13x13	S XCS	mov - purple	07934	12333560	20
200x13x13	S XCS	mov - purple	07935	43070001	12

Se pot utiliza în locul periiilor de sarma. Curată suprafețele metalice de rugine, vopsea, decolorează cordoanele de sudură. Corespunde excelent la oțelurile inoxidabile. XT (mov) mai rezistentă la muchii.

Pentru produsele care nu se afla în tabel, cereți oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



Fast Grinder - BKD

Dimensiune Size	Culoare Colour	Nr. Art. Art.-Nr.	
100x15x12	negru - black	12330140	10
125x15x12	negru - black		10
150x15x12	negru - black	12330150	10
200x15x12	negru - black	12330160	10



Fast Grinder - BBF

Dimensiune Size	Culoare Colour	Nr. Art. Art.-Nr.	
115x22,2	albastru/Blue	43070006	10
125x22,2	albastru/Blue		10



Corespunde la curatarea rapida si in siguranta a suprafetelor metalice si nemetalice (piatra, plastic), indepartarea lacului, vopselei, ruginei de pe aceste suprafete. Aria de aplicare: tinichigerie, zidarie, dulgherie, sudura (decolorarea cordoanelor de sudura).

10.1. **BLAC CLEANER PE SUPORT RIGID - BLACK CLEANER ON STIFF BACKING**

Corespunde utilizarii pe polizoare unghiulare.

3M - CG-RD Scotch-Brite™

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
115x22,2	S XCS	albastru - blue	61174	12330250	10

CG (albastru) versiunea mai flexibila.



3M - XT-RD Scotch-Brite™

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
115x22,2	S XCS	mov - purple	05818	12330280	10

XT (mov) rezista mai bine la contururi.



Fast Grinder - BKF

Dimensiune Size	Culoare Colour	Nr. Art. Art.-Nr.	
115x22,2	negru/Black	12330090	10
125x22,2	negru/Black	12330240	10
178x22,2	negru/Black	12330100	10


Corespunde la curatarea rapida si in siguranta a suprafetelor metalice si nemetalice (piatra, plastic), indepartarea lacului, vopselei, ruginei de pe aceste suprafete. Aria de aplicare: tinichigerie, zidarie, dulgherie, sudura (decolorarea cordoanelor de sudura).



Fast Grinder - BKB

Dimensiune Size	Culoare Colour	Nr. Art. Art.-Nr.	
100x15x12	albastru - blue	43070008	10
150x15x12	albastru - blue		10
200x15x12	albastru - blue		10

Mai tare si mai agresiv ca versiunea neagra, viata mai lunga, grad de indepartare material mai ridicat.



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packing unit

Produs standard  
Standard product


**PE SUPORT FIBRA VULCANICA - BLACK CLEANER ON FIBRE BACKING**

Corespunde utilizarii pe polizoare unghiulare, exclusiv cu utilizarea suportului pentru fibra vulcanica.

**3M - CG-DB Scotch-Brite™**

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
115x22,2	S XCS	albastru - blue	61172	12330060	10
178x22,2	S XCS	albastru - blue	61173	12330050	10

CG (albastru) versiunea mai flexibila.

**3M - XT-DB Scotch-Brite™**

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
115x22,2	S XCS	mov - purple	05816	12330220	10
178x22,2	S XCS	mov - purple	05817	12330230	10


XT (mov) rezista mai bine la contururi.

**CU TIJA - BLACK CLEANER WITH SHAFT****Fast Grinder - BKG**

Dimensiune Size	Culoare Colour	Nr. Art. Art.-Nr.	
75x13x6	negru - black	12330110	10
100x13x6	negru - black	12330120	10
150x13x6	negru - black	12330130	10


Gata de utilizare cu ax de 6mm

**3M - CG-ZS Scotch-Brite™**

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
75 x 13 x 6	S XCS	albastru	61164	43080001	10
75 x 25 x 6	S XCS	albastru	61167	43080002	10
100 x 13 x 6	S XCS	albastru	61165	12330020	10
100 x 25 x 6	S XCS	albastru	61168	12330070	10
150 x 13 x 8	S XCS	albastru	61166	43080004	6
150 x 25 x 8	S XCS	albastru	61169	12330010	6

Prevazut cu ax, gata de folosire, CG (albastru) versiunea mai flexibila.

**3M - XT-ZS Scotch-Brite™**

Dimensiune Size	Granulatie Grits	Culoare Colour	Tip Type	Nr. Art. Art.-Nr.	
100x13x6	XT-ZS	mov/Purple	05809	12330290	10
100x25x6	XT-ZS	mov/Purple	05812	43080003	10
150x13x8	XT-ZS	mov/Purple	05810	43080005	6
150x25x8	XT-ZS	mov/Purple	05813	12330300	6

Prevazut cu ax, gata de folosire, XT (mov) rezista mai bine la contururi.

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



## 9.1. SUPORT CU SCAI FARA GAURI

## BACKING PADS FOR VELCRO SURFACE CONDITIONER DISCS




Hector

Dimensiune Size	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	Negru special	Black special	12580250	1
125	Negru special	Black special	46040002	1
150	Negru special	Black special	12580540	1
180	Negru special	Black special	12580930	1

## 9.2. SUPORT CU SCAI CU GAURI DE ABSORBTIE

## BACKING PADS FOR MACHINES FOR ADHESIVE PRODUCTS



Hector

Dimensiune Size	Prindere Fixing	Gauri Holes	Nr. Art. Art.-Nr.	
30			12580770	1
125	M14		12580160	1
125	M 8		12580670	1
150	5/16"	6xd80 + 0	12581070	1
150	5/16"		12580520	1
150	M14		12580110	1

## 9.2. SUPORT PENRU FIBRA VULCANICA - BACKING PADS FOR FIBRE DISCS

Utilizarea acestor suporturi este foarte important. Sunt disponibile in mai multe tipuri de executie, de la rigid, cu canale de racire, pana la moale, flexibile.

The use of various backing pads for fibre abrasive discs is very important. They are available in different hardness from glass fibre reinforced backing pads for rough works to soft backing pads.




HappyWork

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	M 14	rigid	hard	46030002	1
125	M 14	rigid	hard	46030008	1
180	M 14	rigid	hard	46030003	1



Hector

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	6 mm	elastic cu ax	elastic with shaft	12600300	1
125	6 mm	elastic cu ax	elastic with shaft	12600110	1



Hector

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	M 14	rigid	hard	12600220	1
125	M 14	rigid	hard	12600280	1
150	M 14	rigid	hard	12600340	1
180	M 14	rigid	hard	12600230	1
230	M 14	rigid	hard	12600350	1

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



## 9. SUPORTURI MOUNTING ACCESSORIES

### Hector

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	M 14	moale	soft	12600160	1
125	M 14	moale	soft	12600170	1
180	M 14	moale	soft	12600180	1



### Hector

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	M 14	elastic	elastic	12600030	1
125	M 14	elastic	elastic	12600130	1
180	M 14	elastic	elastic	12600040	1



### Hector

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	M 14	cu canale de racire	with cooling ribs	12600240	1
125	M 14	cu canale de racire	with cooling ribs	12600250	1



### Hector

Dimensiune Size	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	fibra de sticla + canale de racire	with cooling ribs + glass fibre reinforced	12600190	1



### Norton

Dimensiune Size	Prindere Fixing	Specificatie	Specification	Nr. Art. Art.-Nr.	
115	M 14	AVOS OU Y42	special	12600320	1



## 9.2. SUPORT PENRU SCULE CU PRINDERE RAPIDA - FOR ROLOC SYSTEM SUPORT SISTEM „R”- „R” SYSTEM OF BACKING PADS

### 3M - Roloc™ DR-AC

Dimensiune Size	Hardness	Specificatie	Prindere Fixing	max rpm	Tip Type	Nr. Art. Art.-Nr.	
25	Medium	medie	1/4"	30000	45101	12720690	5
38	Medium	medie	1/4"	30000	45099		5
50	Soft	moale	1/4"	25000	45094		5
50	Medium	medie	1/4"	25000	45095	46080004	5
50	Hard	tare	1/4"	25000	45096		5
50	Extra Hard	extra tare	1/4"	25000	45097		5
75	Soft	moale	1/4"	20000	45090		5
75	Medium	medie	1/4"	20000	45092		5
75	Soft	moale	5/8"	20000	82879		5
75	Soft	moale	M14	20000	84994	46080002	5
75	Medium	medie	M14	20000	84999	12721060	5
75	Hard	tare	M14	20000	84998		5
75	Extra Hard	extra tare	M14	20000	84993	12721050	5
75	with shaft	cu ax	6mm	30000	05540	12721010	10



Suporturile Roloc™ se pot utiliza pe toate tipurile de polizoare unghiulare si masini de slefuit pneumatice. Folositi intotdeauna suportul corespunzator diametrului de scula aleasa. Utilizarea suportului cu diametru mai mic, poate provoca accidente.

### Hector

Dimensiune Size	Hardness	Specificatie	Prindere Fixing	max rpm	Nr. Art. Art.-Nr.	
45	hard		M14		12720240	1
70	hard		M14		12720230	1



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packina unit

Produs standard  
Standard product

## SISTEM PRINDERE ROLOC+™ - ROLOC+™ BACKING PADS

MOUNTING ACCESSORIES

### 3M - Roloc+™ ZR-AC



Dimensiune Size	Hardness	Prindere Fixing	max rpm	Tip Type	Nr. Art. Art.-Nr.	
25	Nr. 1	6mm	25000	09884	12720420	1
38	Nr. 2	6mm	25000	09986	12721360	1
50	Nr. 3	6mm	25000	09987	12720430	1
75	Nr. 4	6mm	20000	09988	12720510	1

### 9.3.

## SISTEM PRINDERE TIP BAIONETA - FOR BAYONET LOCKED DISCS



### HappyWork

Dimensiune Size	Specificatie Specification	Prindere Threat	Nr. Art. Art.-Nr.	
100	Normal	M14	12610090	1
130	Normal	M14	12610130	1

## 9.4. SUPORT CAUCIUC PENTRU INELE DE SLEFUIT - RUBBER WHEEL FOR ABRASIVE SLEEVES

Se utilizeaza pentru prinderea inelelor de slefuit. Datorita executiei speciale a corpului de cauciuc, inelul nu aluneca pe suport in timpul lucrului.  
They are used for fastening of abrasive sleeves. Owing to forming of rubber wheel the fastening does not slip while working.

### Fast Grinder



Dimensiune Size	Specificatie Specification	Nr. Art. Art.-Nr.	
10x10x6	Standard	12640210	1
10x20x6	Standard	12640220	1
13x25x6	Standard	12640520	1
15x10x6	Standard	12640230	1
15x30x6	Standard	12640110	1
22x20x6	Standard	12640120	1
25x25x6	Standard	12640160	1
30x20x6	Standard	12640080	1
30x30x6	Standard	12640260	1
45x30x6	Standard	12640270	1
60x30x6	Standard	12640240	1
75x30x8	Standard	12640250	1
100x40x8	Standard	12640280	1

### 9.5.

## TIJE DE PRINDERE - SHAFT



### Hector

Dimensiune Size	Specificatie Specification	Specification	Nr. Art. Art.-Nr.	
6mm	prinderea sculelor fara tija	shaft	12580500	1
M14 / 17	prinderea sculelor fara tija	shaft	12580200	1
M8 / 6	prinderea sculelor fara tija	shaft	46010062	1

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit





Suprafata slefuita  
Grinded surface  
P120



Suprafata slefuita  
Grinded surface  
P240



Suprafata slefuita  
Grinded surface  
P320



Suprafata polisata  
Polished surface



Suprafata lustruita  
Finished surface

**Grad de slefuire:**  
**Cutting ability**

Grad ridicat de slefuire  
High removing ability

Grad scazut de slefuire  
Low removing ability



10

9

8

7

6

5

4

3

2

1



**Luciul de suprafata:**  
**Surface shine**

Luciu mat  
Unglazed shine

Luciu oglinda  
Mirrorshine

1

2

3

4

5

6

7

8

9

10



## 13.1. PASTA DE SLEFUIT - ABRASIVE PASTE

Amestec de spat de pamant cu granule abrazive de diferite granulatii si duritati, care corespund la slefuirea mica si polisarea suprafetelor metalice si nemetalice.

*They are a special mixture of different grain sized feldspars and abrasive grains; they are used for grinding and polishing of metals and non metal materials.*

Utilizare: debavurare, slefuire grosa, slefuire elastica.

Application: deburring, buffing, flexible buffing, burnishing



## Lea - Extra Cut

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Metale feroase Ferrous metals	SiC si Corund SiC and Corundum	Gras Greasy	Gri Grey	Sisal Sisal	39010062	0,9 kg	1

Capacitate mare de slefuire cu granule de corund. Polisarea primara a otelurilor inalt aliate si otelurilor inoxidabile.

*High cutting availability with corund grains. It can be used for prepolishing of high compound steel and stainless steel.*



## Lea - Abracut

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Metale feroase Ferrous metals	Corund Corundum	Gras Greasy	Gri Grey	Sisal Sisal	12250630	0,9 kg	1

Dura, capacitate mare de slefuire, in special pentru metale feroase. Uniformizarea suprafetelor inainte de lustruire., respectiv inainte de galvanizare. Rugozitate medie-dura, luciu scazut.

*High cutting availability for prepolishing, mainly for ferrous metals.*



## Lea - Abramax coarse

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Metale feroase Ferrous metals	Corund Corundum	Gras Greasy	Gri Grey	Sisal sau bumbac cusut Sisal or stitched cotton	39010073	0,9 kg	1

Capacitate mare de indepartare material, se poate utiliza atat la metale feroase cat si la metale neferoase. Suprafata cu aspect periat, dungat.

*Very aggressive cutting compound ferrous metals, good levelling qualities prior to plating mild steel.*



## Lea - Abramax E

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Metale feroase Ferrous metals	Corund Corundum	Semi-gras Half-greasy	Gri Grey	Sisal sau bumbac cusut Sisal or stitched cotton	39010019	0,9 kg	1

Capacitate de taiere medie-mare, polisarea primara a suprafetelor metalice feroase. Capacitate buna de uniformizarea suprafetei, aspect periat, usor colorat. Rugozitate medie-fina, luciu mediu.

*Medium brushing compound for levelling of metal surface prior to glossing ferrous metals.*



## Lea - Titan Extra

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Oteluri inalt aliate, titan Prothesis, titan	SiC si Corund SiC and Corundum	Gras Greasy	Gri- verzui Riflegreen	Sisal sau bumbac cusut Sisal or stitched cotton	39010049	0,9 kg	1

Capacitate de taiere mare datorita amestecului de granule de corund cu SiC, astfel corespunde pentru polisarea primara a otelurilor inalt aliate si a titanului.

*High cutting availability, corund grains with SiC grains. It can be used for prepolishing of high compound steel and titan.*



## 13.2

## PASTA PENTRU POLIISH - POLISHING PASTE



8/8

## Lea - Tripomax super

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Metale neferoase Non-ferrous	Diatomit Fossil farina	Semi-gras Half-greasy	Maro Brown	Bumbac Cotton	39010024	0,7 kg	1

Pasta polish de inalta calitate, cu continut scazut de grasime. Recomandat pentru toate tipurile de metale neferoase, la care se cere o calitate superioara de finisare. Rugozitate fina, luciu mediu-inalt.

*Best grade buffing compound for all non-ferrous metals.*



8/8

## Lea - Tripomax TA

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Metale neferoase Non ferrous	Diatomit Fossil farina	Gras Greasy	Maro Brown	Bumbac Cotton	12251260	0,7 kg	1

Pasta polish de inalta calitate, cu continut mare de grasime. Recomandat pentru toate tipurile de metale neferoase, la care se cere o calitate superioara de finisare. Rugozitate fina, luciu mediu-inalt.

*General purpose buffing for contoured shapes for non-ferrous metals.*



8/7

## Lea - Midas

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund Corundum	Semi-gras Half-greasy	Galben inchis Dark yellow	Bumbac Cotton	39010023	0,9 kg	1

Capacitate ridicata de taiere, colorare. Rezultate bune la indepartarea liniilor lasate de prelucrarea cu benzi abrazive, P320, suprafata obtinuta avand un luciu egzotic. Suprafata cu rugozitate mediu-fin, luciu mediu-inalt.

*Good cutting availability, extra exotic shine. Good result in the removal of lines caused by abrasive belts (P320).*



8/6

## Lea - Brillmax

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund Corundum	Semi-gras half-greasy	Galben Yellow	Bumbac Cotton	39010022	0,9 kg	1

Capacitate ridicata de taiere, colorare. suprafata obtinuta avand un luciu egzotic. Suprafata cu rugozitate medie, luciu medie.

*Discribed as a good general purpose compound for cut and colour on ferrous based metals especially of the exotic types.*



7/7

## Lea - Glomax

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Aluminiu Aluminium	Corund Corundum	Semi-gras Half-greasy	Alb White	Bumbac Cotton	12250850	0,9 kg	1

Capacitate ridicata de taiere, colorare. Rezultate bune la indepartarea liniilor lasate de prelucrarea cu benzi abrazive, P320, la toate tipurile de metale suprafata obtinuta avand un luciu egzotic. Suprafata cu rugozitate mediu-fin, luciu mediu-inalt.

*Good cut and colour bar. Particularly outstanding on stainless steel for removing 320 abrasive lines.*



6/7

## Lea - Maxfin

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund Corundum	Semi-gras Half-greasy	Verde deschis Light green	Bumbac Cotton	12250770	0,9 kg	1

Capacitate ridicata de slefuire. in special pentru inox, inainte de lustruire. Rugozitate fina, luciu mediu-inalt.

*Top of the range calcined alumina. Superb cut qualities with good colour. Ideally suited for that special finish on stainless steel.*



5/8

## Lea - Blumax

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund Corundum	Semi-gras Dry	Albastru Blue	Bumbac Cotton	12250840	0,9 kg	1

Taiere fina si colorare. Suprafata obtinuta avand un luciu ridicat si culoare albastruie, la toate tipurile de metale, in special la aluminiu si inox. Suprafata cu rugozitate fina, luciu mediu-inalt.

*A fine calcined alumina for cut and colour. Fine scratch finish for stainless steel. Blue finishing grade.*

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



Grad de slefuire - Cutting ability  
Luciu suprafetei - Surface shine



## 13. PASTE DE SLEFUIT, GRANULE DE SLEFUIT POLISHING PASTES AND ABRASIVE GRAINS

### 13.3. PASTA DE LUSTRUIT - FINISHING PASTE

#### Lea - Chromax

5/9

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund Corundum	Semi-gras Half-greasy	Roz Pink	Bumbac fin Flannel	12251070	0,9 kg	1

Capacitate fina de slefuire, luciu inalt. Ultima faza de lustruire pentru toate tipurile de metal, suprafete conturizate. Suprafata cu rugozitate foarte fina, luciu inalt.

*Fine cutting ability, high colour, high greasy finishing bar.*

#### Lea - Chromax super

4/9


Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund Corundum	Uscat Dry	Alb White	Bumbac fin Flannel	12251110	0,9 kg	1

Capacitate mica de slefuire. Ultima faza de lustruire pentru toate tipurile de metal, contine mai putina grasime ca pasta Chromax roz, asigurand o suprafata mai deschisa. Suprafata cu rugozitate foarte fina, luciu inalt.

*Finer calcined alumina than Blumax. Provides more colour with some cut loss. Ideal final finishing bar. Contains less grease and slightly more finish clarity.*

#### Lea - Chromax green

4/9


Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Oxid de crom ultrafin Ultrafine chrome-oxid	Semi-gras Half-greasy	Verde inchis Darkgreen	Bumbac fin Flannel	12250550	1 kg	1

Oxid de crom ultrafin, in special pentru Inox si metale cu continut ridicat de crom, suprafete cromate. Asigura o suprafata negricios. Suprafata cu rugozitate foarte fina, luciu inalt, negricios.

*Very fine calcined alumina with green chrome addition for the „black” finish on stainless steel.*

#### Lea - Plastimax

4/9


Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Plastic Plastic	Diatomit Fossil farina	Uscat Dry	Bej Beige	Bumbac fin Flannel	12251110	0,9 kg	1

Pasta fina cu granule moi pentru lustruire plastic, poliester, suprafete lacuite si furniruite. Suprafata cu luciu inalt.

*Fine on soft abrasive for final finishing on plastics, polyester, lacquers and laminates.*

#### Lea - Starmax

4/9

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Cupru, aur, argint, platina Copper, gold, silver, platinum	Oxid de fier ultrafin Ultrafine iron-oxid	Semi-gras Half-greasy	Rosu inchis Dark red	Bumbac fin Flannel	39010029	1 kg	1

Pasta foarte fina pentru lustruire aur, argint, platina. Suprafata cu rugozitate ultra fina, luciu inalt, oglinda.

*Full range of rouges: competitive grade, top of the range.*

### 13.4. PASTA DE OGLINDIRE - MIRROR SHINING PASTE

#### Lea - Mirrormax

3/10

Utilizare Can be used for...	Abraziv Abrasive	Caracteristici liant Contents	Culoare Colour	Material disc Wheel material	Nr. Art. Art.-Nr.	Greutate Weight	
Toate metalele All metals	Corund ultrafin Ultrafine corundum	Semi-gras Half-greasy	Alb White	Bumbac fin Flannel	39010028	0,9 kg	1

Lustruire finala pentru toate tipurile de metale, in special inox. Suprafata cu rugozitate super fina, luciu oglinda.


*Very high shining for the finishing of stainless steel. The result is mirror shining, super fine surface.*



## 12.1. DISCURI DE PASLA - FELT WHEELS

Produse din lana curata (alb) sau par de origine animala (gri). Utilizat la polisare, utilizare identica cu discurile de carpa  
The polishing wheels are made of lambskin (white) or animal hair (grey). Their application is the same as the textile wheels.


### Hector

Dimensiune Size	Culoare Colour	Densitate Density	Nr. Art. Art.-Nr.	
100x20x20	alb - white	0,5	47030012	1
100x20xCH	alb - white	0,5	47030011	1
120x20x20	alb - white	0,5	47030087	1
125x20xCH	alb - white	0,5	47030013	1
150x20x20	alb - white	0,5	47030015	1
150x20xCH	alb - white	0,5	47030014	1
175x20x32	alb - white	0,5	47030016	1
175x20xCH	alb - white	0,5	47030017	1
175x30xCH	alb - white	0,5	47030018	1
200x20x32	alb - white	0,6	47030020	1
200x20xCH	alb - white	0,5	47030019	1
200x30xCH	alb - white	0,5	47030021	1
250x30x32	alb - white	0,5	47030023	1
300x20x32	alb - white	0,5	47030088	1
300x50x32	alb - white	0,5	12290750	1
350x50x40	alb - white	0,6	47030024	1
350x60x40	alb - white	0,6	47030090	1
400x30x40	alb - white	0,5	47030025	1
400x50x40	alb - white	0,5	47030109	1
400x50x40	alb - white	0,6	47030022	1
400x70x40	alb - white	0,5	47030086	1
450x50x40	alb - white	0,6	47030026	1
500x40x40	alb - white	0,5	47030108	1
500x60x40	alb - white	0,45	47030096	1
500x80x40	alb - white	0,45	47030094	1

CH: Gaura centrala de 8 mm.

CH: Central Hole 8 mm

### HappyWork

Dimensiune Size	Culoare Colour	Densitate Density	Nr. Art. Art.-Nr.	
100x20xCH	alb - white	0,45	47030083	1
115x20xCH	alb - white	0,45	47030105	1
125x20xCH	alb - white	0,45	47030084	1
150x20xCH	alb - white	0,45	47030085	1
175x20xCH	alb - white	0,45	47030110	1
200x20xCH	alb - white	0,45	47030111	1

CH: Gaura centrala de 8 mm.

CH: Central Hole 8 mm



12.2. **CORPURI DE PASLA CU TIJA - FELT WHEELS WITH SHAFT**

Corpuri de pasla pentru polisare cu forma cilindrica sau profilata, cu ax de 3 si 6 mm. Utilizare cea mai des in productia de scule aschietoare.  
Cylindrical and various shaped polishing wheels with 3 mm and 6 mm shaft. They are used for tool producing.

## Hector - ZYA



Dimensiune Size	Forma Shape	Nr. Art. Art.-Nr.	
6x10x3	ZYA	47030027	10
8x10x3	ZYA	47030028	10
10x14x3	ZYA	47030030	10
10x14x6	ZYA	47030031	10
15x20x6	ZYA	47030032	10
20x25x6	ZYA	47030033	10
25x30x6	ZYA	47030034	10
30x20x6	ZYA	47030074	10
30x35x6	ZYA	47030035	10
40x20x6	ZYA	47030075	10
40x30x6	ZYA	47030076	10
40x40x6	ZYA	47030036	10
50x20x6	ZYA	47030077	10
50x40x6	ZYA	47030037	10
60x30x6	ZYA	47030078	10
60x40x6	ZYA	47030062	10

## Hector - SPK



Dimensiune Size	Forma Shape	Nr. Art. Art.-Nr.	
8x12x3	SPK	47030063	10
10x13x3	SPK	47030029	10
10x18x3	SPK	47030064	10
15x30x6	SPK	47030065	10
20x25x6	SPK	47030066	10

## Hector - WRC



Dimensiune Size	Forma Shape	Nr. Art. Art.-Nr.	
8x12x3	WRC	47030067	10
15x20x6	WRC	47030068	10
15x30x6	WRC	47030069	10
20x25x6	WRC	47030070	10
25x30x6	WRC	47030071	10

## Hector - KEL



Dimensiune Size	Forma Shape	Nr. Art. Art.-Nr.	
20x25x6	KEL	47030072	10
25x30x6	KEL	47030073	10



12.3. COALA DE PASLA - FELT SHEET

Hector			
Dimensiune Size	Densitate Density	Nr. Art. Art.-Nr.	
5x1000x1000	0,4	47030079	1
10x1000x1000	0,4	47030080	1
15x1000x1000	0,4	47030081	1
20x1000x1000	0,4	47030082	1



12.4. DISC PASLA CU SCAI - VELCRO FELT

Hector			
Dimensiune Size	Densitate Density	Nr. Art. Art.-Nr.	
115mm	0,44	47030038	1
125mm	0,44	47030039	1
150mm	0,44	47030040	1
180mm	0,44	47030041	1




12.5. DISC PASLA CU PRINDERE TIP BAIONETA - BAYONET LOCKED FELT

HappyWork			
Dimensiune Size	Densitate Density	Nr. Art. Art.-Nr.	
130x30	0,65	12291750	1



12.6. DISC PASLA MINI CU FIXARE RAPIDA - FAST LOCKED MINI

Pferd - CD FR				
Dimensiune Size	Culoare Colour	Sistem System	Nr. Art. Art.-Nr.	
50	fehér	S	12720640	1
75	fehér	S	12720650	1



Homlokfelületi polírozáshoz.

12.7. BONETA PENTRU LUSTRUIT (LANA DE MERINO) - MERINO WOOL

A tükörfényesítés alapvető eszköze a karosszéria gyártás és a bútornipar területén. Tépőzáras és kötözös kivitelben forgalmazzuk. They are basic tools of mirror polishing of automotive and furniture industry. They are distributed in velcro or tied up fastening types.

Hector			
Dimensiune Size	Sistem de fixare Fixing system	Nr. Art. Art.-Nr.	
115 mm	prin legare - binding	12291040	1
125mm	prin legare - binding	47040053	1
155mm	prin legare - binding	12292180	1
185mm	prin legare - binding	12292190	1



HappyWork			
Dimensiune Size	Sistem de fixare Fixing system	Nr. Art. Art.-Nr.	
115mm	cu scai - velcro	47040010	1
125mm	cu scai - velcro	47040020	1
150mm	cu scai - velcro	47040030	1
185mm	cu scai - velcro	47040040	1
230mm	cu scai - velcro	47040050	1



Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.



Cantitate impachetare  
Packina unit

Produs standard  
Standard product

## 12.10.

## DISCURI DE CARPA - TEXTILE WHEELS

## CUSUTE RAR - THIN STITCHED

Hector				
Dimensiune Size	Colorat	Molino retro	Alb	
100x20x10	12280270	47020068		1
130x20x10	12280140			1
150x20x10	12280030		47020064	1
180x20x10	12280760			1
200x20x10	12280050	47020071	47020062	1
250x20x10	12280280	47020073	47020063	1
300x20x10	12280090		47020002	1
350x20x10	12280110			1
400x20x10	12280130			1
450x20x10	12280150			1
450x25x45		47020065		1
500x20x10	12280310			1
500x20x40			47020112	1
500x25x45		47020072		1



## CUSUTE DES - THICK STITCHED

Hector				
Dimensiune Size	Colorat	Molino retro		
100x20x10	12280020	47020069		1
130x20x10	12280220			1
150x20x10	12280040	47020148		1
180x20x10	12280790	47020181		1
200x20x10	12280060	47020113		1
250x20x10	12280080	47020041		1
300x20x10	12280100	47020005		1
350x20x10	12280120	47020228		1
400x20x10	12280010			1
400x20x45		47020067		1
450x20x10	12280250			1
450x20x45		47020076		1
500x2x10	12280180			1
500x20x45		47020066		1



Utilizat la polisarea diferitelor suprafete (plane sau profilate) pe masini stationare si masini de mana. Discurile sunt din foi intregi, cusute concentric, pe care se aplica pasta de polisat, granule abrazive cu caolin. La discurile cusute des distanta dintre cusaturi este de 12,5 mm, in cazul celor cusute rar aceasta distanta este de 50 - 75 mm, gaura este de 10 mm. La cerere se pot executa si cu alta dimensiune a gaurii.

*In most cases they can be used on bench or hand held machines. They are made from sheets wetted textile. The abrasive grains are laid with tallow and kaolin on the abrasive wheel. They are used for mirror polishing of shaped and flat surfaces and spindles. Material: colour cotton, you can order Molino, technical cloth or white cotton. Thick stitched cotton discs have 12,5mm distance in concentric stitching (SV type) while thin stitched discs have 50mm distance (RV type).*



### 11.1. SCULE PENTRU MASINI DE POLISAT - TOOLS FOR POLISHING MACHINE


#### Fast Grinder - NTL

Dimensiune Size	Gaura Bore	Dur Coarse	Medie Medium	Fin Fine	Foarte fin Very fine	Ultra fin Ultra fine	
100 x 50	19,1						1
100 x 100	19,1	12740330	12740310	12740080	12740090		1
110 x 50	19,1						1
110 x 100	19,1						1



Indepartarea coroziunii, curatarea suprafetei, satinare. *Satin finish and oxidations removal.*

#### Fast Grinder - NTM

Dimensiune Size	Gaura Bore	40	60	80	100	120	150	240	
100 x 50	19,1				12540390		12740370	47090006	
100 x 100	19,1	47090003	12740450	47090001	12740340	47090002	12740020		
110 x 50	19,1								
110 x 100	19,1								



Slefuire fina, conditionarea suprafetei. Indepartarea zgarieturilor.  
*Light grinding and finishing combined. Suited for removing scratches.*


#### Fast Grinder - RLF

Dimensiune Size	Gaura Bore	40	60	80	120	240	
100 x 30	25	41050032	41050033	41050034	41050035	41050036	1
100 x 50	19,1	12740160	12740170	12740180	12740320	47090004	1
100 x 100	19,1	12740030	12740040	12740050	12740060	12740070	1



Slefuirea si curatarea suprafetelor generale. Indeparteaza ruginea, zgarieturile si urmele sudurii.  
*For grinding and cleaning of regular surfaces: it removes rust, scratches and welding marks.*

#### Fast Grinder - RLT

Dimensiune Size	Gaura Bore	40	60	80	120	220	
120 x 50	19,1		47090005		12271080		1
120 x 100	19,1		12740140				1



Pentru suprafete profilate. *Suited for irregular surfaces and contoured work pieces.*

#### Fast Grinder - BKL

Dimensiune Size	Gaura Bore	Nr. Art. Art.-Nr.	
100 x 50	19,1		1
100 x 100	19,1	12740010	1



Indepartarea lacului, ruginei, oxidatiilor.  
*Removing varnish, oxidations, rust.*



## Fast Grinder - CPF



Dimensiune Size	Gaura Bore	Medie Medium	
110 x 50	19,1	12740200	1
110 x 100	19,1	12740210	1

Material vlies special, cu caracteristici excelente de taiere si lustruire.  
*Particular kind of non woven with good cut and very fine finishing.*

## Fast Grinder - RAG



Dimensiune Size	Gaura Bore	16	46	120	
104 x 50	19,1				1
104 x 100	19,1		12740100		1

Tambur de inalta calitate pentru finisarea si lustruirea suprafetelor plane.  
*High quality stainless satin finish, with shine effect, suited for flat sheets.*

## Fast Grinder - RFA



Dimensiune Size	Gaura Bore	Sarma Wire	Nr. Art. Art.-Nr.	
110 x 50	19,1	0,3		1
110 x 100	19,1	0,3	12740300	1

Indeprtarea vopselei si ruginei, debavurare. La lemn efect „antic”.  
*Suited for paint and rust removing and light deburring. Antik effect in wood*

## Fast Grinder - RFI



Dimensiune Size	Gaura Bore	Sarma Wire	Nr. Art. Art.-Nr.	
110 x 50	19,1	0,2		1
110 x 100	19,1	0,2	12740110	1

Curatarea lemnului cu efect „rustic”. Indeprtarea vopselei si ruginei la oteluri inoxidabile.  
*Graining of wood with rustic effect. Paint and rust removal on stainless steel*

## Fast Grinder - RNA



Dimensiune Size	Gaura Bore	Sarma Grits	Nr. Art. Art.-Nr.	
100 x 70	19,1	80	47090007	1
110 x 100	19,1	80	12740130	1

Curatarea lemnului cu efect „rustic”.  
*Graining of wood with rustic effect*

## Fast Grinder - REC



Dimensiune Size	Gaura Bore	Nr. Art. Art.-Nr.	
90 x 100	19,1	12740230	1

Prinderea pe masina a benzilor fara sfarsit de panza si de conditionare a suprafetelor.  
*To be used as a support for cloth and surface conditioning endless belts*

## Fast Grinder - REP



Dimensiune Size	Gaura Bore	Nr. Art. Art.-Nr.	
75 x 75	M14		1
90 x 100	19,1	46070001	1
120 x 80	M14	12740220	1

Prinderea benzilor fara sfarsit de panza si de conditionare. Cauciuc gonflabil, un contact mai moale cu suprafata.  
*To be used as a support for cloth and surface conditioning endless belts. Inflatable, softer contact with the work piece*

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.


Produs standard  
Standard product

Cantitate impachetare  
Packing unit



## 11. SCULE PENTRU MASINI DE POLISAT TOOLS FOR POLISHING MACHINE

### Fast Grinder - NKM (Alox)


Dimensiune Size	Sistem System	40	60	80	120	240	
75 x 75	REP						1
90 x 100	REP / REC	12740280		12740290			1
120 x 100	REP						1

Banda cu granule de oxid de aluminiu, capacitate de slefuire rapida si agresiva

*Al. oxide abrasive belts, fast and aggressive grinding operations*



### Fast Grinder - NKM (Zirkon)


Dimensiune Size	Sistem System	40	60	80	120	240	
75 x 75	REP						1
90 x 100	REP / REC	12740260		12740270			1
120 x 100	REP						1

Banda cu granule de zirconiu, capacitate de slefuire rapida si agresiva

*Zirconiumoxide abrasive belts, fast and aggressive grinding operations.*



### Fast Grinder - SCB

Dimensiune Size	Sistem System	Dur Coarse	Medie Medium	Foarte fin Very fine	
75 x 75	REP				1
90 x 100	REP / REC		12740250		1
120 x 100	REP				1

Satinare si indepartarea stratului de oxidare.

*Satin finish and oxidations removal*



### Fast Grinder - RIT

Dimensiune Size	Gaura Bore	Nr. Art. Art.-Nr.	
100 x 100	19,1	12740120	1

Prelucrarea suprafetei lemnului, uscat sau cu wax.

*Brushing of wood, dry or with wax*



### Fast Grinder - DSC

Dimensiune Size	Gaura Bore	Nr. Art. Art.-Nr.	
100	19,1	12740350	1

Indepartarea ramasilor abrazive la oteluri inoxidabile, inaintea fazei de polisare cu pasla sau discuri de carpa. Pachetul contine 7 bucati de discuri.

*Suited for inox to eliminate abrasive marks and before polishing operations with felt or cotton. Set contains 7pcs discs.*



### Fast Grinder - DCV

Dimensiune Size	Gaura Bore	Nr. Art. Art.-Nr.	
100	19,1	12740360	1

Pentru lustruire oglinda. Pachetul contine 10 discuri.


*For mirror polishing. Set contains 10pcs discs.*



**12.8. PERII FIBRIS - FIBRE NET BRUSHES**

Structurarea, matuirea suprafetelor de aluminiu, cupru si inox. Se produc din fibre vegetale.

*They are used for finishing and matting aluminium, copper and stainless materials. They are made of plant fibres.*



Hector

Dimensiune Size	Calitate Quality	Nr. Art. Art.-Nr.	
100mm	standard	12300060	1
150mm	standard	12300070	1
200mm	standard	12300010	1
250mm	standard	12300020	1
300mm	standard	12300030	1
350mm	standard	12300040	1
400mm	standard	12300050	1
450mm	standard	12300080	1
500mm	standard	12300090	1

**12.9. BURETE PENTRU POLISAT - POLISHING SPONGE**

Buretele de polish se executa in diferite duritati si diferite pori pentru operatii chiar cu pretentii mari. Esentiale pentru polisarea auto. Calitatile diferite se pot deosebi dupa culori.

*With various hard and porous polishing sponges is possible to make the most perfect applications. They are essential for car polishing. The various specifications are signed by colours.*

Hector - Ondulat - profiled

Dimensiune Size	Forma Shape	Super moale - Super soft Antracit - Anthracite	Flexibil - Flexible Crem - Creme	Medie tare - Medium hard Alb - White	
150mm	Ondulat - Profiled	12551270	12551280	12550460	1
175mm	Ondulat - Profiled	12551580	12551590	12552810	1

Hector

Dimensiune Size	Culoare Colour	Duritate Hardness	Operatie Application	Structura Structure	Grosime Tickness 25mm	Grosime Tickness 50mm	
150	Albastru / Blue	Mediu flexibil / Medium flexible	Polisare primara / First polishing	Fin / Fine	47060001	47060006	1
150	Alb / White	Mediu tare / Medium hard	Polisare primara / First polishing	Fin / Fine	47060004	47060010	1
150	Galben / Yellow	Mediu flexibil / Medium flexible	Polisare primara / First polishing	Dur / Coarse	47060003	47060009	1
150	Portocaliu / Orange	Mediu tare / Medium hard	Polisare primara / First polishing	Fin / Fine	47060005		1
150	Roz / Pink	Moale elastic / Flexible soft	Polisare / Second polishing	Fin / Fine		47060007	1
150	Rosu / Red	Moale / Soft	Polisare finala / Third polishing	Fin / Fine	47060002	47060008	1
175	Albastru / Blue	Mediu flexibil / Medium flexible	Polisare primara / First polishing	Fin / Fine		47060011	1
175	Alb / White	Mediu tare / Medium hard	Polisare primara / First polishing	Fin / Fine		47060015	1
175	Galben / Yellow	Mediu flexibil / Medium flexible	Polisare primara / First polishing	Dur / Coarse		47060014	1
175	Roz / Pink	Moale elastic / Flexible soft	Polisare / Second polishing	Fin / Fine		47060012	1
175	Rosu / Red	Moale / Soft	Polisare finala / Third polishing	Fin / Fine		47060013	1

Pentru produsele care nu se afla in tabel, cereti oferta de pret / Different sizes (grits) available on requests.

Produs standard  
Standard product

Cantitate impachetare  
Packing unit



**Prexim Style SRL**

**Oradea**

**Tel./Fax: 02 59 267 015**

**Mobil: 07 23 989 011**

**e-mail: office@abrazive-scule.ro**

**<http://www.abrazive-scule.ro>**

