






## DVR 4 CANALE

TA-420 AX		4 Channel Standalone DVR ,MJPEG , 100 fps display/ 25 recording , iesite BNC,VGA si telecomanda , SATA HDD , PC usb conect FPS/Rezolutie: NTSC : 30/640x244 PAL : 25/640x272	<b>340,00 lei</b>
HA-442		4 Channel PENTAPLEX Standalone DVR + 4 audio,100 fps display, 100 fps recording CIF si rezolutie D1 ( 720X576 )la 25 fps , H264 Compresion SATA hdd ,USB ,VGA, INTERNET , TELECOMANDA , accepta mouse Manual si meniu in Limba Romana Vizualizare pe explorer ,mobile Symbian , Windows Mobile , Iphone (FULL OBTION) MADE by FUHO TAIWAN FPS/Rezolutie: NTSC : 30/704x480; 60/704x240; 120/352x240; PAL : 25/704x576; 50/704x288; 100/352x288;	<b>490,00 lei</b>
ENVIO MP-304		DVR Stand Alone 4 intrari video, 100 FPS inregistrare, 4 audio (RCA), 2 iesire audio (RCA). Sistem de operare: embedded Linux integarat in chip. Compresie hardware H.264, transmisie video/audio H.264 Webserver integrat. Calitate excelenta a imaginii la inregistrare si transmisie video, model profesional. Inregistrare si controlul setarilor de la distanta (internet). Multiplex : inregistrare, vizionare internet si backup in acelasi timp. FPS/Rezolutie: NTSC : 60/720x480; 120/720x240; 120/360x240; PAL : 50/720x576; 100/720x288; 100/360x288;	<b>520,00 lei</b>
AVTECH KPD-674		DVR Stand Alone 4 intrari video, 100 FPS inregistrare, 4 audio (RCA), 1 iesire audio (RCA). Sistem de operare: embedded Linux integarat in chip. Compresie hardware H.264, transmisie video/audio H.264 Webserver integrat. Calitate excelenta a imaginii la inregistrare si transmisie video, model profesional. Inregistrare si controlul setarilor de la distanta (internet). Multiplex : inregistrare, vizionare internet si backup in acelasi timp. FPS/Rezolutie: NTSC : 60/720x480; 120/720x240; 120/360x240; PAL : 50/720x576; 100/720x288; 100/360x288;	<b>520,00 lei</b>

ENVIO MP-344		<p>DVR Stand Alone 4 intrari video, 100 FPS inregistrare, 4 audio (RCA), 2 iesire audio (RCA). Sistem de operare: embedded Linux integarat in chip. Compresie hardware H.264, transmisie video/audio H.264 Webserver integrat. Calitate excelenta a imaginii la inregistrare si transmisie video, model profesional. Inregistrare si controlul setarilor de la distanta (internet). Multiplex : inregistrare, vizionare internet si backup in acelasi timp.</p> <p>FPS/Rezolutie:  D1:704x576 cu 100 Fps(PAL)  CIF:352x240 cu 240 Fps(NTSC); 352x288 cu 200 Fps(PAL)</p>	<b>630,00 lei</b>
<b>DVR 8 CANALE</b>			
HA-842		<p>8 Channel PENTAPLEX Standalone DVR + 4 audio,200 fps display, 200 fps recording CIF si rezolutie D1 (720X576 )la 50 fps , H264 Compresion SATA hdd ,USB ,VGA , INTERNET , TELECOMANDA , accepta mouse Manual si menu in Limba Romana Vizualizare pe explorer ,mobile Symbian , Windows Mobile , Iphone (FULL OBTION) MADE by FUHO TAIWAN FPS/Rezolutie:  NTSC : 60/704x480; 120/704x240; 240/352x240;  PAL : 50/704x576; 100/704x288; 200/352x288;</p>	<b>830,00 lei</b>
ENVIO MP-308		<p>DVR Stand Alone 8 intrari video, 200 FPS inregistrare, 4 audio (RCA), 2 iesire audio (RCA). Sistem de operare: embedded Linux integarat in chip. Compresie hardware H.264, transmisie video/audio H.264 Webserver integrat. Calitate excelenta a imaginii la inregistrare si transmisie video, model profesional. Inregistrare si controlul setarilor de la distanta (internet). Multiplex : inregistrare, vizionare internet si backup in acelasi timp.</p> <p>FPS/Rezolutie:  NTSC : 60/720x480; 120/720x240; 240/360x240;  PAL : 50/720x576; 100/720x288; 200/360x288;</p>	<b>850,00 lei</b>
<b>DVR 16 CANALE</b>			
HA-1648 CIF		<p>HA-DVR-PCZ-1648 - CIF - 16 Channel Pentaplex, 4 audio, 400fps display ,400 fps recording, rezolutie CIF (320x288), Telecomanda, USB back up, VGA ,SATA HDD, INTERNET Vizualizare pe Symbian, Windows Mobile, IPHONE</p>	<b>1.420,00 lei</b>

HA-1648 CIF + D1		HA-DVR-PCZ-1648 - CIF + D1 - 16 Channel Pentaplex, 4 audio, 400fps display D1, 400 fps recording, suporta rezolutie inregistrare CIF la 400 fps si D1 la 100 fps ! , Telecomanda, USB back up, VGA, SATA HDD, INTERNET Vizualizare pe Symbian, Windows Mobile, IPHONE	<b>1.600,00 lei</b>
MP-316H		DVR Stand Alone 16 intrari video, 400 FPS inregistrare, 4 audio (RCA), 2 iesire audio (RCA). Sistem de operare: embedded Linux integarat in chip. Compresie hardware H.264, transmisie video/audio H.264 Webserver integrat. Calitate excelenta a imaginii la inregistrare si transmisie video, model profesional. Inregistrare si controlul setarilor de la distanta (internet). Multiplex : inregistrare, vizionare internet si backup in acelasi timp, iesire HDMI. FPS/Rezolutie: NTSC : 120/720x480; 2400/720x240; 480/360x240; PAL : 100/720x576; 200/720x288; 400/360x288;	<b>1.740,00 lei</b>
<b>PLACI CAPTURA</b>			
PICO4		Placa de Captura PICO - 4 intrari video, 1 intrare audio 25fps	<b>80,00 lei</b>
PCL4		Placa de captura USB 25 fps pentru laptop	<b>170,00 lei</b>
<b>CAMERA DE EXTERIOR LENTILA FIXA</b>			
EV-224		Camera color 1/4" CCD SHARP 420 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>110,00 lei</b>
EV-224-S01		Camera color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>150,00 lei</b>
EV-224-S02		Camera color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>220,00 lei</b>
EV-224-S03		Camera color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>290,00 lei</b>

EV-248-01		Camera color 1/3" CCD 420 linii TV 0Lux. Lentila 6 mm , suport si 48 led ir	<b>150,00 lei</b>
EV-248		Camera color 1/4" CCD SHARP 420 linii TV 0Lux. Lentila 6 mm , suport si 48 led ir	<b>155,00 lei</b>
EV-248-S01		Camera color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 6 mm , suport si 48 led ir	<b>200,00 lei</b>
EV-248-S02		Camera color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 6 mm , suport si 48 led ir	<b>260,00 lei</b>
EV-248-S03		Camera color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 6 mm , suport si 48 led ir	<b>310,00 lei</b>
KPC136ZDLP		Camera color 1/3" CCD AVTECH 420 linii TV 0Lux. Lentila 3,6 mm , suport si 21 led ir	<b>150,00 lei</b>
KPC136ZELP		Camera color 1/3" CCD AVTECH 520 linii TV 0Lux. Lentila 3,6 mm , suport si 21 led ir	<b>190,00 lei</b>
KPC148ZEP		Camera color 1/3" CCD AVTECH 520 linii TV 0Lux. Lentila CS 6 mm , suport si 35 led ir	<b>280,00 lei</b>
AVC472ZP		Camera color 1/3" CCD AVTECH 520 linii TV 0Lux. Lentila CS 6 mm , suport si 56 led ir	<b>360,00 lei</b>

EV-BIGFIX100-S02		Camera color 1/3" CCD AVTECH 480 linii TV 0Lux. Lentila 16 mm , suport si 12 led ir	<b>460,00 lei</b>
EV-BIGFIX100-S03		Camera color 1/3" CCD AVTECH 540 linii TV 0Lux. Lentila 16 mm , suport si 12 led ir	<b>540,00 lei</b>
<b>CAMERA DE EXTERIOR LENTILA VARIFOCALE</b>			
EV-CAM42-VARIFOCAL-S01		Camera color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 4-9 mm , suport si 42 led ir	<b>280,00 lei</b>
EV-CAM42-VARIFOCAL-S02		Camera color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 4-9 mm , suport si 42 led ir	<b>340,00 lei</b>
EV-CAM42-VARIFOCAL-S03		Camera color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 4-9 mm , suport si 42 led ir	<b>380,00 lei</b>
EV-CAM42-VARIFOCAL-S04		Camera color 1/3" CCD SONY 600 linii TV, cu OSD si WDR, 0Lux. Lentila 4-9 mm , suport si 42 led ir	<b>460,00 lei</b>
EV-BIG72-VARIFOCAL-S01		Camera color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 4-9 mm , suport si 72 led ir	<b>320,00 lei</b>
EV-BIG72-VARIFOCAL-S02		Camera color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 4-9 mm , suport si 72 led ir	<b>375,00 lei</b>
EV-BIG72-VARIFOCAL-S03		Camera color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 4-9 mm , suport si 72 led ir	<b>420,00 lei</b>
EV-BIG72-VARIFOCAL-S04		Camera color 1/3" CCD SONY 600 linii TV, cu OSD si WDR, 0Lux. Lentila 4-9 mm , suport si 72 led ir	<b>510,00 lei</b>
EV-BIGCASE VARIFOCAL-S01		Camera color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 9-22 mm , suport si 36 led ir	<b>510,00 lei</b>
EV-BIGCASE VARIFOCAL-S02		Camera color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 9-22 mm , suport si 36 led ir	<b>590,00 lei</b>
EV-BIGCASE VARIFOCAL-S03		Camera color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 9-22 mm , suport si 36 led ir	<b>670,00 lei</b>
EV-BIGCASE VARIFOCAL-S04		Camera color 1/3" CCD SONY 600 linii TV, cu OSD si WDR, 0Lux. Lentila 9-22 mm , suport si 36 led ir	<b>750,00 lei</b>
<b>CAMERE DOM</b>			
EV-DOM-01		Camera tip DOME Color 1/4" CCD SHARP 420 lines 3.6mm	<b>90,00 lei</b>
EV-DOM-S02		Camera tip DOME Color 1/3" CCD SONY 420 lines 3.6mm	<b>130,00 lei</b>
EV-DOM-S03		Camera tip DOME Color 1/3" CCD SONY 480 lines 3.6mm	<b>180,00 lei</b>

EV-IRDOM-02		Camera tip DOME Color 1/4" CCD SHARP 420 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>115,00 lei</b>
EV-IRDOM-S02-420		Camera tip DOME Color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>140,00 lei</b>
EV-IRDOM-S02-480		Camera tip DOME Color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>190,00 lei</b>
EV-IRDOM-S03		Camera tip DOME Color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>280,00 lei</b>
EV-IRDOM ANTIVANDAL		Camera tip DOME Color 1/4" CCD SHARP 420 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>135,00 lei</b>
EV-IRDOM ANTIVANDAL-S01		Camera tip DOME Color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>170,00 lei</b>
EV-IRDOM ANTIVANDAL-S02		Camera tip DOME Color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>220,00 lei</b>
EV-IRDOM ANTIVANDAL-S03		Camera tip DOME Color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 3,6 mm , suport si 24 led ir	<b>290,00 lei</b>
<b>CAMERE DOM, VARIFOCALA</b>			
EV-IRDOM VARIFOCAL-S01		Camera tip DOME Color 1/3" CCD SONY 420 linii TV 0Lux. Lentila 4-9 mm , suport si 36 led ir	<b>250,00 lei</b>
EV-IRDOM VARIFOCAL-S02		Camera tip DOME Color 1/3" CCD SONY 480 linii TV 0Lux. Lentila 4-9 mm , suport si 36 led ir	<b>310,00 lei</b>
EV-IRDOM VARIFOCAL-S03		Camera tip DOME Color 1/3" CCD SONY 540 linii TV 0Lux. Lentila 4-9 mm , suport si 36 led ir	<b>380,00 lei</b>
<b>SURSE CAMERE</b>			
P4		Sursa stabilizata in cutie cu siguranta pe fiecare camera 4 ch,3.5 A	<b>160,00 lei</b>
P9		Sursa stabilizata in cutie cu siguranta pe fiecare camera 9 ch,10APret	<b>240,00 lei</b>
P18		Sursa stabilizata in cutie cu siguranta pe fiecare camera 18ch,20A	<b>370,00 lei</b>

LICENTA I.G.P. 2108/T/13.10.2010

SC SOLTERM SRL Sighisoara

[www.instalatii-sighisoara.ro](http://www.instalatii-sighisoara.ro)